

# MAWSON

1305 – 1090 West Georgia Street, Vancouver, BC, V6E 3V7  
Phone: +1 604 685 9316 / Fax: +1 604 683 1585

NEWS RELEASE

September 04, 2018

## MAWSON REPORTS FURTHER GOLD-COBALT DRILL RESULTS AT RAJAPALOT, NORTHERN FINLAND AND COMMENCES RESOURCE AND METALLURGICAL STUDIES

Vancouver, Canada — Mawson Resources Limited (“Mawson”) or (the “Company”) (TSX:MAW) (Frankfurt: MXR) (PINKSHEETS: MWSNF) is pleased to announce additional gold and/or multi-element drill results from 43 holes from 6 prospects at the Rajapalot project in Finland.

The addition of cobalt values to previously reported gold intersections continues to provide significant improvements in both continuity and width when compared to gold-only intersections, especially at the Raja and Palokas prospects. On the basis of this increased confidence in mineralization continuity, the Company has commenced metallurgical test work and is in the process of engaging an independent qualified person to undertake a maiden resource calculation at Rajapalot.

### Key Points:

- Results from 43 diamond drill holes are reported from the Rajapalot project across 6 prospect areas;
- Cobalt assays continue to improve width, continuity and grade within the gold-cobalt mineralized zone. For seven of the best mineralized drill holes reported, the average increase in gold equivalent (“Au Eq”) grade x width over the previously reported gold-only result was 92%. Au-only values consistently received a 1-2 g/t addition in Au Eq from Co, but with substantially greater thicknesses (Table 1, Figures 4-10);
- Metallurgical studies area now underway and the Company will soon engage an independent qualified person to complete a maiden resource calculation at Rajapalot;
- Highlight results from the Palokas prospect include:
  - **33.0 metres @ 4.2 g/t AuEq, 3.1 g/t Au, 547 ppm Co from 38.7 metres (PRAJ0109)**
  - **34.6 metres @ 2.6 g/t AuEq, 1.2g/t Au, 693 ppm Co from 30.3 metres (PRAJ0111)**
- Highlight results from the Raja prospect include:
  - **20.7 metres @ 5.6 g/t AuEq, 3.6 g/t Au, 956 ppm Co from 365.2 metres (PAL0118)**
  - **5.0 metres @ 16.1 g/t AuEq, 14.2 g/t Au, 938 ppm Co from 245.0 metres (PAL0092)**
- Electromagnetic studies are ongoing at Raja, with the aim to define northerly extensions to mineralization where drilling has defined a 470-metre plunging shoot from near surface (Figure 3);

Mr. Hudson, Chairman and CEO, states, *“With the growing recognition of the significance of cobalt within the gold mineralized zones, Rajapalot is quickly progressing from discovery to a more advanced stage with resource and metallurgical testwork studies now commencing. This is an exciting milestone for the project as a large new mineral camp emerges. It is an excellent outcome for Finland, with potential for a significant and strategic cobalt deposit just 400 kilometres from the world’s single largest cobalt refinery at Kokkola, which produces 50% of global non-Chinese production ([10% of total production](#)).”*

All assays reported are shown in Table 3, with the most significant seven holes (from 43 holes reported) from the Palokas and Raja prospects reported in Table 1. A plan view of drill results and named prospects is provided in Figure 1. Cross and longitudinal sectional views for Raja are included in Figures 2–3. Table 2 shows all relevant collar information. Assuming a predominant stratabound control, the true thickness of the mineralized interval is interpreted to be approximately 90% of the sampled thickness. Intersections are reported with a lower cut of 0.5 g/t gold or 0.5 g/t gold equivalent when cobalt assays were available, over 1 metre width and no upper cut-off was applied. The gold equivalent (Au Eq) value was

calculated using the following formula:  $Au\ Eq\ g/t = Au\ g/t + (Co\ ppm/481)$  with assumed prices of Co \$88,185/t; and Au \$1,320/oz, where 1 g/t Au is equivalent to 0.048 % Co. Au Eq varies with Au and Co prices.

Table 1: Highlighted new multi-element results from the Raja and Palokas prospects. Note average increase in AuEq grade x width over the gold-only result was 92% from earlier reported results.

Hole_id	From (m)	To (m)	Width (m)	Au Eq g/t	Au g/t	Co ppm	Prospect	% increase g/t * m
PRAJ0109	38.7	71.7	33.0	4.2	3.1	547	PALOKAS	38
PRAJ0110	70.2	92.2	22.0	2.9	1.5	664	PALOKAS	114
PRAJ0111	30.3	64.9	34.6	2.6	1.2	693	PALOKAS	152
PAL0085	124.0	134.9	10.9	5.0	3.8	569	RAJA	34
PAL0092	245.0	250.0	5.0	16.1	14.2	938	RAJA	14
PAL0097	276.3	287.2	11.0	2.6	0.8	880	RAJA	281
PAL0118	322.0	331.6	9.6	3.2	2.1	534	RAJA	56
PAL0118	365.3	386.0	20.7	5.6	3.6	956	RAJA	47

Two main areas of work continue at the Rompas-Rajapalot project areas:

- Geological modelling of Palokas, Raja, South Palokas and Rumajärvi prospects, in addition to assay data validation is a focus for Mawson's technical team to feed into upcoming independent resource studies. Metallurgical testwork for cobalt and gold has also commenced with liberation studies and QEMSCAN work to investigate the relationships of the cobalt minerals (cobaltite, linnaeite and cobalt pentlandite) to the gold, sulphide and silicate minerals. These studies are being conducted with the Geological Survey of Finland (GTK) and the Camborne School of Mines (University of Exeter).
- A second component of Mawson's exploration remains the testing of base of till drill hole and geophysical targets, with a diamond drill program comprising approximately 2,000 metres to commence in late September.

## Cobalt in Finland

Finland plays a significant role in the global cobalt supply chain. The Democratic Republic of the Congo ("DRC") [mined 54% of the world's cobalt in 2016](#) whilst 80% of cobalt used in lithium-ion batteries is refined in China.

Half of the world's non-Chinese production ([10% of total production](#)) comes from [Freeport Cobalt](#), the world's largest single cobalt refinery, located only 400 kilometres from Mawson's Rajapalot project in Kokkola, Finland. Freeport Cobalt is [a joint venture](#) between Freeport-McMoRan (56%), Lundin Mining Corporation (24%) and La Générale des Carrières et des Mines (20%) (or [Gécamines](#), the DRC state mining company). A significant amount of feedstock for Freeport Cobalt comes via a long-term [supply agreement](#) with the Chinese-owned Tenke Fungurume mine in the DRC. A future Finnish domestic source of cobalt from Rajapalot would satisfy the recent announcements by [Finland](#) and [Sweden](#) that the countries will work together on a traceable ledger for sustainable minerals, which are considered crucial for achieving climate goals.

Owing to the growth in the electrification of transport and need for storage of renewable energy, the battery sector has become an important driver of cobalt demand. Demand for lithium-ion batteries is surging, which is expected to support both price and volume for the cobalt market for years to come. With cobalt on the European Commission's critical raw minerals list, there is a strong mandate to secure local and ethical supplies of cobalt, which are likely to contribute to further tightened supply.

## Technical and Environmental Background

Variable core diameters are reported with PAL holes NQ2 (50.7 mm), WL76 (57.5mm) or NTW (56.0 mm), and PRAJ holes EW (25.2 mm). Core recoveries were excellent and average close to 100% in fresh rock. After photographing and logging in Mawson's Rovaniemi facilities, core intervals averaging 1 metre for mineralized samples and 2 metres for barren samples were cut in half at the Geological Survey of Finland (GTK) core facilities in Rovaniemi, Finland. The remaining half core is retained for verification and reference purposes.

Three laboratories are being used to conduct gold and multi-element assay work. Samples were transported by Mawson personnel or commercial transport from site to the CRS Minlab Oy facility in Kempele, Finland, or to the ALSGlobal sample preparation facility at Sodankylä, Finland. Samples submitted to Kempele were prepared and analyzed for gold using the PAL1000 technique which involves grinding the sample in steel pots with abrasive media in the presence of cyanide, followed by measuring the gold in solution with flame AAS equipment. In order to improve the detection limit of the PAL1000 technique from 0.05 g/t Au to 0.01 g/t Au for a 1 kg sample, gold concentration using the DiBK (di-isobutyle ketone) extraction method was also used. Samples transported for gold assay to Sodankylä were analysed using 50 g fire assay and ICP finish method Au-ICP22.

Multi-element analytical work was conducted by MS Analytical and ALSGlobal using methods IMS-230 and ME-MS61 respectively, both using four acid digest followed by ICP analysis.

The QA/QC program of Mawson consists of the systematic insertion of certified standards of known gold and cobalt content, duplicate samples by quartering the core, and blanks the within interpreted mineralized rock. In addition, all three laboratories insert blanks and standards during the analytical process.

The qualified person for Mawson's Finnish projects, Dr. Nick Cook, President for Mawson and a Fellow of the Australasian Institute of Mining Metallurgy has reviewed and verified the contents of this release.

**About Mawson Resources Limited (TSX:MAW, FRANKFURT:MXR, PINKSHEETS:MWSNF)**

[Mawson Resources Limited](#) is an exploration and development company. Mawson has distinguished itself as a leading Nordic Arctic exploration company with a focus on the flagship Rompas and Rajapalot gold projects in Finland.

On behalf of the Board,

**"Michael Hudson"**

Michael Hudson, Chairman & CEO

**Further Information**

**[www.mawsonresources.com](http://www.mawsonresources.com)**

1305 – 1090 West Georgia St., Vancouver, BC, V6E 3V7


Mariana Bermudez (Canada), Corporate Secretary, +1 (604) 685 9316,

[info@mawsonresources.com](mailto:info@mawsonresources.com)


**Forward-Looking Statement**

This news release contains forward-looking statements or forward-looking information within the meaning of applicable securities laws (collectively, "forward-looking statements"). All statements Mar 01, 2018in, other than statements of historical fact, are forward-looking statements. Although Mawson believes that such statements are reasonable, it can give no assurance that such expectations will prove to be correct. Forward-looking statements are typically identified by words such as: believe, expect, anticipate, intend, estimate, postulate, and similar expressions, or are those, which, by their nature, refer to future events. Mawson cautions investors that any forward-looking statements are not guarantees of future results or performance, and that actual results may differ materially from those in forward-looking statements as a result of various factors, including, but not limited to, capital and other costs varying significantly from estimates, changes in world metal markets, changes in equity markets, planned drill programs and results varying from expectations, delays in obtaining results, equipment failure, unexpected geological conditions, local community relations, dealings with non-governmental organizations, delays in operations due to permit grants, environmental and safety risks, and other risks and uncertainties disclosed under the heading "Risk Factors" in Mawson's most recent Annual Information Form filed on [www.sedar.com](http://www.sedar.com). Any forward-looking statement speaks only as of the date on which it is made and, except as may be required by applicable securities laws, Mawson disclaims any intent or obligation to update any forward-looking statement, whether as a result of new information, future events or results or otherwise.


**Figure 1 Plan view of Rajapalot area**




# Figure 2 Cross Section from the Raja Prospect, Rajapalot




**Figure 3 Long section showing results from Raja prospect, Rajapalot**





**Figure 4**  
**Gold-Cobalt Distribution**  
 Drillhole PRAJ0109


**33 metres @ 4.2g/t AuEq, 3.1g/t Au, 547ppm Co**  
 Original Assay 19.0m @ 5.3g/t Au  
 AuEq % increase 38%



**Figure 5**  
**Gold-Cobalt Distribution**  
 Drillhole PRAJ0110


**22 metres @ 2.9g/t AuEq, 1.5g/t Au, 662ppm Co**  
 Original Assay 9.0m @ 3.2g/t Au  
 AuEq % increase 114%





**Figure 6**  
**Gold-Cobalt Distribution**  
 Drillhole PRAJ0111

**34.6 metres @ 2.6g/t AuEq, 1.2g/t Au, 693ppm Co**  
 Original Assay 5.8m @ 6.2g/t Au  
 AuEq % increase 152%



**Figure 7**  
**Gold-Cobalt Distribution**  
 Drillhole PAL0085

**10.9 metres @ 5.0g/t AuEq, 3.8g/t Au, 569ppm Co**  
 Original Assay 9.9m @ 4.1g/t Au  
 AuEq % increase 35%

# MAWSON

Downhole Depth (m) Lithology Code Gold ppm Cobalt ppm Gold Eq ppm





Figure 8  
Gold-Cobalt Distribution  
Drillhole PAL0092

5.0 metres @ 16.1 g/t AuEq, 14.2 g/t Au, 938ppm Co  
Original Assay 4.0m @ 17.7g/t Au  
AuEq % increase 14%



**Figure 9**  
**Gold-Cobalt Distribution**  
 Drillhole PAL0097

**11 metres @ 2.6g/t AuEq, 0.8g/t Au, 880ppm Co**  
 Original Assay 4.0m @ 1.9g/t Au  
 AuEq % increase 281%



Table 2: Collar Information from Multi-element and Gold Assays report in this Press Release from Six Prospects within the Rajapalot Project (Finnish Grid, Projection KJ2003)

HoleID	East	North	Azimuth	Dip	RL (m)	Depth (m)	Prospect
PAL0008	3409232.4	7374282.4	134.4	60	175.743	158.38	Hirvimaa
<b>PAL0025</b>	<b>3408990</b>	<b>7374176</b>	<b>330</b>	<b>55</b>	<b>174.4516</b>	<b>170.65</b>	<b>Hirvimaa</b>
<b>PAL0127</b>	<b>3409495</b>	<b>7374571</b>	<b>140.05</b>	<b>49.61</b>	<b>178.064</b>	<b>157.7</b>	<b>Hirvimaa</b>
PAL0130	3409439.2	7374639.4	141.18	50.15	178.477	212	Hirvimaa
<b>PAL0144</b>	<b>3410155</b>	<b>7374827</b>	<b>160.73</b>	<b>50</b>	<b>180.379</b>	<b>110.5</b>	<b>Hirvimaa</b>
PAL0146	3409474.8	7374728.2	141.78	48.82	181.741	259.9	Hirvimaa
<b>PAL0086</b>	<b>3408735</b>	<b>7373936</b>	<b>117.43</b>	<b>58.94</b>	<b>174.342</b>	<b>135</b>	<b>Palokas</b>
PAL0102	3408754.2	7374036.9	117.7	59.62	174.566	202.7	Palokas
<b>PAL0106</b>	<b>3408864</b>	<b>7373985</b>	<b>127.74</b>	<b>60.49</b>	<b>174.837</b>	<b>161.1</b>	<b>Palokas</b>
<b>PRAJ0109</b>	<b>3408660</b>	<b>7373866</b>	<b>116</b>	<b>60</b>	<b>174.8</b>	<b>71.7</b>	<b>Palokas</b>
PRAJ0110	3408623	7373882.2	116	60	174	100.05	Palokas
<b>PRAJ0111</b>	<b>3408649</b>	<b>7373844</b>	<b>116</b>	<b>60</b>	<b>174.5</b>	<b>71.8</b>	<b>Palokas</b>
PRAJ0116	3408623.6	7373830.9	116	60	173.9	100.05	Palokas
PAL0085	3408764.3	7372323.9	60.45	69.78	173.491	215.7	Raja
PAL0092	3408707	7372440.4	60	83.85	174.971	323.9	Raja
<b>PAL0097</b>	<b>3408707</b>	<b>7372441</b>	<b>58.08</b>	<b>69.41</b>	<b>174.934</b>	<b>344.7</b>	<b>Raja</b>
<b>PAL0100</b>	<b>3408707</b>	<b>7372441</b>	<b>60.03</b>	<b>61.94</b>	<b>174.889</b>	<b>343.8</b>	<b>Raja</b>
<b>PAL0111</b>	<b>3408577</b>	<b>7372514</b>	<b>60.65</b>	<b>69.23</b>	<b>177.633</b>	<b>432.3</b>	<b>Raja</b>
PAL0118	3408577.3	7372513.8	60.8	61.74	177.649	445.6	Raja
<b>PAL0124</b>	<b>3408563</b>	<b>7372192</b>	<b>73.42</b>	<b>48.37</b>	<b>173.658</b>	<b>132.6</b>	<b>Raja</b>
PAL0125	3408577.5	7372513.9	60.35	56.95	177.439	112.5	Raja
PAL0052	3410567.9	7373391.9	151.5	48.4	160.257	100.2	Regional
PAL0054	3410651.2	7373254.2	150	50.8	163.018	154.5	Regional
<b>PAL0133</b>	<b>3410336</b>	<b>7373235</b>	<b>136.73</b>	<b>49.45</b>	<b>163.61</b>	<b>167.3</b>	<b>Regional</b>
PAL0137	3410476.3	7373094.8	136.76	49.24	159.136	212	Regional
<b>PAL0138</b>	<b>3410582</b>	<b>7372990</b>	<b>134.29</b>	<b>50.56</b>	<b>156.584</b>	<b>221.2</b>	<b>Regional</b>
PAL0141	3411012.5	7372820.3	141.54	49.31	159.748	143.35	Regional
<b>PAL0021</b>	<b>3408115</b>	<b>7372552</b>	<b>160</b>	<b>53.5</b>	<b>179.2</b>	<b>172.2</b>	<b>Rumajärvi</b>
PAL0022	3408175	7372408.5	160	55	181.8	100.5	Rumajärvi
PAL0039	3408010.3	7372471.4	120.5	49.3	177.672	248.8	Rumajärvi
<b>PAL0040</b>	<b>3407938</b>	<b>7372359</b>	<b>120.6</b>	<b>49.6</b>	<b>178.257</b>	<b>200.1</b>	<b>Rumajärvi</b>
<b>PAL0053</b>	<b>3408284</b>	<b>7372532</b>	<b>183.7</b>	<b>60.2</b>	<b>175.266</b>	<b>260.8</b>	<b>Rumajärvi</b>
<b>PAL0059</b>	<b>3408091</b>	<b>7372461</b>	<b>151.2</b>	<b>59.1</b>	<b>177.091</b>	<b>157.1</b>	<b>Rumajärvi</b>
PAL0063	3407948.6	7372717.3	114.2	49.8	172.776	173.9	Rumajärvi
PAL0108	3407960.6	7372405.2	120.13	59.87	175.811	226.9	Rumajärvi
PAL0114	3407875.1	7372382.9	118.84	46.71	174.517	218.4	Rumajärvi
<b>PAL0115</b>	<b>3407900</b>	<b>7372520</b>	<b>123.79</b>	<b>46.97</b>	<b>173.064</b>	<b>320.1</b>	<b>Rumajärvi</b>
<b>PAL0084</b>	<b>3408481</b>	<b>7373565</b>	<b>119.6</b>	<b>-64.06</b>	<b>174.41</b>	<b>191.2</b>	<b>South Palokas</b>
<b>PAL0094</b>	<b>3408527</b>	<b>7373605</b>	<b>120.67</b>	<b>59.51</b>	<b>173.519</b>	<b>191</b>	<b>South Palokas</b>
PAL0096	3408590.8	7373662.3	115.12	60.13	173.444	131	South Palokas
PAL0098	3408379.6	7373476.5	118.27	60.44	173.536	199.9	South Palokas
PAL0035	3408095.2	7372897.8	137.1	60.2	176.872	191.8	Terry's Hammer

PAL0036	3408123	7372857	139.6	59.4	175.424	115.05	Terry's Hammer
---------	---------	---------	-------	------	---------	--------	----------------

Table 3: Better intersections from the 2018 Winter Assay and Re-assay Program.

Intersections are reported with a lower cut of 0.5g/t Au or Au EQ over 1 metre lower cut. No upper cut-off was applied.

hole_id	From (m)	To (m)	Width (m)	Au Eq (g/t)	Au (g/t)	Co ppm
PAL0008	33.0	34.0	1.0	1.4	1.4	13
PAL0022	16.6	17.8	1.2	2.4	2.3	46
PAL0039	108.5	109.5	1.0	0.8	0.1	351
PAL0039	110.8	113.1	2.3	1.7	0.6	536
PAL0039	115.1	116.1	1.0	0.7	0.0	305
PAL0040	35.3	43.3	8.0	1.6	0.8	370
PAL0040	99.9	100.9	1.0	0.8	0.0	392
PAL0053	65.7	66.7	1.0	3.9	0.5	1610
PAL0053	68.7	69.7	1.0	4.1	1.1	1490
PAL0084	58.8	60.3	1.6	1.6	0.0	732
PAL0084	90.8	91.7	0.9	0.6	0.0	292
PAL0085	96.0	97.0	1.0	0.9	0.0	436
PAL0085	124.0	134.9	10.9	5.0	3.8	569
PAL0085	135.9	136.9	1.0	0.6	0.4	99
PAL0085	137.9	138.9	1.0	0.6	0.5	45
PAL0085	170.0	171.0	1.0	1.7	1.7	9
PAL0086	3.3	4.2	0.9	1.0	0.6	219
PAL0086	48.7	52.7	4.0	0.7	0.2	267
PAL0092	241.0	242.0	1.0	1.1	0.0	538
PAL0092	245.0	250.0	5.0	16.1	14.2	938
PAL0094	71.1	73.0	1.9	1.1	0.0	534
PAL0094	129.1	130.0	0.8	2.1	0.0	996
PAL0097	162.0	167.6	5.6	0.8	0.3	214
PAL0097	169.6	171.6	2.0	1.0	0.4	317
PAL0097	197.0	198.3	1.3	1.0	0.7	147
PAL0097	200.3	201.4	1.1	1.0	0.6	205
PAL0097	234.0	235.0	1.0	1.4	0.0	658
PAL0097	255.6	264.3	8.7	1.6	1.3	167
PAL0097	269.3	270.3	1.0	1.6	1.5	57
PAL0097	272.3	274.3	2.0	0.7	0.1	270
PAL0097	276.3	287.2	11.0	2.6	0.8	880
PAL0097	290.5	291.6	1.2	3.4	2.5	418

<b>PAL0097</b>	294.8	296.8	2.1	4.4	2.7	852
<b>PAL0097</b>	298.6	299.5	0.9	1.9	0.1	863
<b>PAL0098</b>	29.6	30.6	1.1	1.3	0.9	225
<b>PAL0098</b>	35.6	36.6	0.9	5.0	4.9	25
<b>PAL0098</b>	39.3	40.3	1.0	1.6	1.2	198
<b>PAL0100</b>	198.2	198.8	0.6	0.7	0.0	335
<b>PAL0100</b>	230.5	231.0	0.6	1.8	0.0	843
<b>PAL0100</b>	232.7	244.8	12.1	1.3	0.0	611
<b>PAL0100</b>	249.2	250.2	1.0	0.5	0.0	229
<b>PAL0100</b>	251.2	253.2	2.0	1.0	0.0	461
<b>PAL0100</b>	261.2	262.2	1.0	0.8	0.1	363
<b>PAL0100</b>	285.0	296.3	11.3	1.7	0.9	401
<b>PAL0100</b>	300.0	301.0	1.0	1.6	1.4	118
<b>PAL0108</b>	60.0	61.0	1.0	0.7	0.1	304
<b>PAL0111</b>	350.7	351.7	1.0	0.9	0.5	170
<b>PAL0111</b>	353.7	357.7	4.0	0.7	0.1	299
<b>PAL0111</b>	412.0	412.6	0.6	1.5	1.5	8
<b>PAL0114</b>	14.7	15.9	1.2	0.6	0.0	271
<b>PAL0114</b>	18.7	19.9	1.2	0.5	0.1	231
<b>PAL0114</b>	123.5	124.1	0.5	0.7	0.0	353
<b>PAL0115</b>	87.8	93.8	6.0	1.0	0.0	450
<b>PAL0115</b>	108.9	110.2	1.3	0.7	0.1	311
<b>PAL0115</b>	117.0	127.9	10.9	1.1	0.3	385
<b>PAL0115</b>	163.0	169.0	6.0	1.2	0.2	441
<b>PAL0115</b>	230.6	231.4	0.8	0.8	0.6	102
<b>PAL0118</b>	262.0	263.0	1.0	1.1	0.0	495
<b>PAL0118</b>	322.0	331.6	9.6	3.2	2.1	534
<b>PAL0118</b>	365.3	386.0	20.7	5.6	3.6	956
<b>PAL0118</b>	388.0	392.9	4.9	1.4	0.7	317
<b>PAL0118</b>	401.1	403.6	2.5	1.4	0.3	518
<b>PAL0124</b>	54.0	55.1	1.1	0.6	0.0	290
<b>PAL0146</b>	204.4	205.4	1.0	1.5	0.1	704
<b>PAL0146</b>	206.4	207.3	0.9	0.8	0.1	331
<b>PRAJ0109</b>	28.9	31.1	2.2	1.7	0.1	777
<b>PRAJ0109</b>	33.1	34.4	1.3	1.9	0.7	591
<b>PRAJ0109</b>	38.7	71.7	33.0	4.2	3.1	547
<b>PRAJ0110</b>	63.9	66.0	2.1	0.9	0.0	427
<b>PRAJ0110</b>	68.0	69.1	1.1	0.9	0.1	372
<b>PRAJ0110</b>	70.2	92.2	22.0	2.9	1.5	664
<b>PRAJ0110</b>	94.3	95.3	1.0	0.7	0.5	90



<b>PRAJ0110</b>	97.3	99.8	2.5	2.5	0.3	1091
<b>PRAJ0111</b>	30.3	64.9	34.6	2.6	1.2	693
<b>PRAJ0116</b>	66.4	69.4	3.0	2.4	1.9	250