

NEWS RELEASE

September 5, 2024

## SXG Confirms New 135-Metre-Wide Gold-Antimony Discovery Below the Golden Dyke Historic Mine

**Includes 11.9 m @ 5.3 g/t AuEq, 12.6 m @ 8.0 g/t AuEq and 8.7 m @ 4.6 g/t AuEq**

Vancouver, Canada — **Mawson Gold Limited** (“Mawson” or the “Company”) (TSXV:MAW) (Frankfurt:MXR) (PINKSHEETS: MWSNF) announces Southern Cross Gold Ltd. (“Southern Cross Gold” or “SXG”) has released a new and large gold-antimony discovery drilled 100 m – 150 m below the largest historic mine at the 100%-owned Sunday Creek Gold-Antimony Project in Victoria, Australia (Figure 5).

### Highlights:

- SDDSC130, reported here, shows the development of **a third large, mineralized body developing beneath the most prolific historic mine at Sunday Creek**. The new discovery is located 260 m and 600 m west, respectively of the Rising Sun and Apollo mineralized bodies modelled in the Company's January 2024 Exploration Target.
- SDDSC130 drilled **seven high-grade vein sets over a 230 m down hole interval (135 m estimated true width (“ETW”))** below the most productive Golden Dyke historic mining area at Sunday Creek. The hole included ten occurrences of **visible gold, nine assayed intervals of > 20 g/t Au (up to 124 g/t Au)** and **ten assayed intervals of > 5% Sb (up to 31.5% Sb)**.
- Broad downhole intercepts (no lower cut) included **214.4 m @ 1.3 g/t AuEq** (1.1 g/t Au, 0.1% Sb) from 320.4 m including **94.5 m @ 2.3 g/t AuEq** (1.5 g/t Au, 0.4% Sb) from 419.1 m. Selected highlights include (Figures 1 and 2).
  - **11.9 m @ 5.3 g/t AuEq** (4.7 g/t Au, 0.4% Sb) from 357.7 m, including:
    - **0.2 m @ 54.7 g/t AuEq** (44.2 g/t Au, 5.6% Sb) from 358.3 m
    - **3.8 m @ 10.7 g/t AuEq** (9.8 g/t Au, 0.5% Sb) from 359.8 m
  - **12.6 m @ 8.0 g/t AuEq** (5.8 g/t Au, 1.2% Sb) from 419.1 m, including:
    - **1.1 m @ 7.4 g/t AuEq** (5.4 g/t Au, 1.0% Sb) from 420.7 m
    - **1.5 m @ 8.5 g/t AuEq** (7.7 g/t Au, 0.4% Sb) from 425.7 m
    - **0.9 m @ 75.8 g/t AuEq** (56.2 g/t Au, 10.4% Sb) from 429.7 m
  - **8.7 m @ 4.6 g/t AuEq** (2.3 g/t Au, 1.3% Sb) from 498.8 m, including:
    - **0.2 m @ 25.0 g/t AuEq** (20.9 g/t Au, 2.2% Sb) from 498.8 m
    - **1.2 m @ 17.1 g/t AuEq** (7.6 g/t Au, 5.0% Sb) from 500.7 m
    - **1.1 m @ 5.7 g/t AuEq** (2.3 g/t Au, 1.8% Sb) from 505.3 m
- SDDSC130 remains open in an up and down dip sense and is the first hole of several east to west trending holes (SDDSC132, 138, 141) to test beneath the Golden Dyke mine area. Nineteen holes are currently being processed and analyzed with an additional five holes in progress.

- Mawson owns 96,590,910 shares of SXG (48.7%), valuing its stake at A\$252.1 million (C\$229.6 million) based on SXG's closing price on September 4, 2024 AEST.

**Michael Hudson, Mawson Interim CEO and Executive Chairman, states:** *"Game on! The scale of the Sunday Creek gold-antimony system continues to grow impressively. This new discovery is located 260 m and 600 m west respectively of the Rising Sun and Apollo mineralized bodies. The expanding Sunday Creek system coupled with the 60 km of diamond drilling planned over the next year means we are well on our way to meet our aim to double the size of the Sunday Creek exploration target. Golden Dyke now joins Rising Sun and Apollo as the third high-grade mineralized domain in this exciting project.*

*"Our team's systematic drill approach led us to the new discovery, after we targeted the main dyke breccia host structure (the "rails" of the ladder) by N-S drilling, as previously reported in drillholes SDDSC125-126. Quickly, we were then able to drill SDDSC130, the first drill hole in an E-W orientation beneath the historic Golden Dyke mine, that intersected seven high-grade vein sets (the "rungs" of the ladder) at a high angle, over 230 m down hole interval (135 m ETW).*

*"The mineralization intersected in SDDSC130 remains open both up and down dip, as well as 500 m to the west towards the historic Christina mine where we have five drill holes pending results. Three additional E-W holes (SDDSC132, 138, 141 – Figures 1 and 2) have been completed, or in progress below Golden Dyke, with results pending. Given this discovery, the Company has already planned a significant number of further holes under Golden Dyke."*

### Drill Hole Discussion

SDDSC130 is the first hole at Golden Dyke to drill parallel to and within the dyke/breccia host structure (the ladder "rails") and at a high angle to mineralized veins (the ladder "rungs"). The hole was successful and overall intercepted **eight high-grade vein sets**. Beneath the historic Golden Dyke mine, **seven high-grade vein sets were intersected over 230 m down hole interval (135 m ETW)**. The hole included ten occurrences of **visible gold, nine assayed intervals of > 20 g/t Au (up to 124 g/t Au) and ten assayed intervals of > 5% Sb (up to 31.5% Sb)**.

Broad downhole intercepts (no lower cut) included **214.4 m @ 1.3 g/t AuEq** (1.1 g/t Au, 0.1% Sb) from 320.4 m including **94.5 m @ 2.3 g/t AuEq** (1.5 g/t Au, 0.4% Sb) from 419.1 m.

The hole provided a 100 m down dip extension to three existing vein sets, infill information for three vein sets in addition to two new vein sets (Figures 2 and 3). This drill hole displayed similarities in mineralization style to that of analogous holes in the upper portion of Rising Sun, demonstrating Golden Dyke is the **third known significant mineralized body** on the project. Further drilling in a similar orientation (parallel to the ladder 'rails' – SDDSC132, 138, 141) (Figures 2 and 3) will continue to provide information about the size and extent of mineralized shapes at depth.

This hole occurs in the geological upper portion of the mineralized system, indicated by the presence of brittle structures, open space breccias and mineralized veins, with abundant massive stibnite occurring in quartz-carbonate veins. While the grade tenor of SDDSC130 is considered significant, analogues at Rising Sun and Apollo have shown that the tenor of gold mineralization is likely to increase with depth. SDDSC130 also provided an exceptional example of continuity and width of mineralized structures at Sunday Creek, with 11.9 m @ 5.3 g/t AuEq (4.7 g/t Au, 0.4% Sb) from 357.7 m occurring 82 m down plunge of SDDSC049 (9.6 m @ 14.1 g/t AuEq (9.2 g/t Au, 2.6% Sb) – [November 8, 2022](#)) and being interpreted as a continuous vein set. Extended highlights include:

- **0.7 m @ 49.7 g/t AuEq** (49.7 g/t Au, 0.0% Sb) from 133.4 m
- **3.1 m @ 4.7 g/t AuEq** (1.3 g/t Au, 1.8% Sb) from 329.3 m, including:
  - **1.3 m @ 8.8 g/t AuEq** (2.1 g/t Au, 3.6% Sb) from 329.3 m
- **3.7 m @ 0.7 g/t AuEq** (0.6 g/t Au, 0.1% Sb) from 334.3 m
- **1.3 m @ 2.5 g/t AuEq** (0.9 g/t Au, 0.9% Sb) from 342.5 m
- **11.9 m @ 5.3 g/t AuEq** (4.7 g/t Au, 0.4% Sb) from 357.7 m, including:
  - **0.2 m @ 54.7 g/t AuEq** (44.2 g/t Au, 5.6% Sb) from 358.3 m

- **3.8 m @ 10.7 g/t AuEq** (9.8 g/t Au, 0.5% Sb) from 359.8 m
- **2.1 m @ 2.1 g/t AuEq** (1.6 g/t Au, 0.3% Sb) from 372.0 m
- **1.9 m @ 2.2 g/t AuEq** (1.6 g/t Au, 0.3% Sb) from 377.0 m, including:
  - **0.3 m @ 8.4 g/t AuEq** (8.3 g/t Au, 0.1% Sb) from 378.7 m
- **4.3 m @ 1.3 g/t AuEq** (1.1 g/t Au, 0.1% Sb) from 387.6 m
- **1.3 m @ 5.8 g/t AuEq** (2.1 g/t Au, 2.0% Sb) from 399.2 m
- **12.6 m @ 8.0 g/t AuEq** (5.8 g/t Au, 1.2% Sb) from 419.1 m, including:
  - **1.1 m @ 7.4 g/t AuEq** (5.4 g/t Au, 1.0% Sb) from 420.7 m
  - **1.5 m @ 8.5 g/t AuEq** (7.7 g/t Au, 0.4% Sb) from 425.7 m
  - **0.9 m @ 75.8 g/t AuEq** (56.2 g/t Au, 10.4% Sb) from 429.7 m
- **0.4 m @ 21.8 g/t AuEq** (13.0 g/t Au, 4.7% Sb) from 446.2 m
- **1.1 m @ 2.2 g/t AuEq** (2.1 g/t Au, 0.0% Sb) from 461.3 m
- **5.8 m @ 5.1 g/t AuEq** (1.9 g/t Au, 1.7% Sb) from 479.2 m, including:
  - **0.1 m @ 20.0 g/t AuEq** (2.3 g/t Au, 9.4% Sb) from 479.2 m
  - **0.2 m @ 26.9 g/t AuEq** (17.3 g/t Au, 5.1% Sb) from 480.8 m
  - **0.7 m @ 23.2 g/t AuEq** (4.1 g/t Au, 10.2% Sb) from 484.2 m
- **8.7 m @ 4.6 g/t AuEq** (2.3 g/t Au, 1.3% Sb) from 498.8 m, including:
  - **0.2 m @ 25.0 g/t AuEq** (20.9 g/t Au, 2.2% Sb) from 498.8 m
  - **1.2 m @ 17.1 g/t AuEq** (7.6 g/t Au, 5.0% Sb) from 500.7 m
  - **1.1 m @ 5.7 g/t AuEq** (2.3 g/t Au, 1.8% Sb) from 505.3 m
- **1.0 m @ 19.8 g/t AuEq** (19.1 g/t Au, 0.4% Sb) from 512.6 m, including:
  - **0.3 m @ 65.9 g/t AuEq** (65.2 g/t Au, 0.4% Sb) from 513.3 m
- **3.1 m @ 0.8 g/t AuEq** (0.7 g/t Au, 0.1% Sb) from 530.3 m

## Pending Results and Update

SDDSC130 is the first hole of several east to west trending holes (SDDSC132, 138, 141) in a program to further test and understand the breadth of mineralization at Golden Dyke by utilising structural controls provided by the previously announced drill holes SDDSC125 and SDDSC126 ([August 27, 2024](#)).

Nineteen holes (SDDSC123-124, 127-128, 131-140, 137W1, 140, 050W1, 050W2, 092W1) are currently being processed and analyzed, with five holes (SDDSC129, 137W2, 141, 143, 092W2) in progress (Figure 1 and Figure 2).

## Exploration Target

On January 23, 2024, SXG announced the maiden gold and antimony *Exploration Target* at its flagship 100%-owned Sunday Creek Project in Victoria, Australia. The Exploration Target ranges reported are shown in Table 1. Notably, the Exploration Target was constrained to the current drill footprint at Apollo and Rising Sun as they contain sufficient drilling to determine continuity and infer grade ranges. This represents approximately **one third to one half the strike of the main drill area and significant potential exists to increase the size of the exploration target** with high grade drill results drilled for up to 450 m beyond the Exploration Target area. Drilling since January has significantly expanded the footprint of mineralization beyond the bounds of the exploration target area, especially including SDDSC130 announced in this press release (Figure 2).

**Table 1. Sunday Creek Exploration Target for Apollo and Rising Sun at the Sunday Creek Project**

Range	Tonnes (Mt)	AuEq g/t*	Au g/t	Sb %	Au Eq (Moz)	Au (Moz)	Sb (kt)
Lower Case	4.4	7.2	5.3	1.2	1.0	0.74	53.5
Upper Case	5.1	9.7	7.8	1.2	1.6	1.28	62.8

The potential quantity and grade of the Exploration Target is conceptual in nature and therefore is an approximation. There has been insufficient exploration to estimate a Mineral Resource and it is uncertain if further exploration will result in the estimation of a Mineral Resource. The Exploration Target has been prepared and reported in accordance with the 2012 edition of the JORC Code.

### Further Information

Further discussion and analysis of the Sunday Creek project by Southern Cross Gold is available on the SXG website at [www.southerncrossgold.com.au](http://www.southerncrossgold.com.au).

No upper gold grade cut is applied in the averaging and intervals are reported as drill thickness. During future Mineral Resource studies, the requirement for assay top cutting will be assessed.

Figures 1 to 5 show project location, plan and longitudinal views of drill results reported here and Tables 2 to 4 provide collar and assay data. The true thickness of the mineralized intervals reported individually as estimated true widths ("ETW"), otherwise they are interpreted to be approximately 40% to 70% of the sampled thickness for other reported holes. Lower grades were cut at 1.0 g/t AuEq lower cutoff over a maximum width of 2 m with higher grades cut at 5.0 g/t AuEq lower cutoff over a maximum of 1 m width unless specified.

### Critical Metal Epizonal Gold-Antimony Deposits

Sunday Creek is an epizonal gold-antimony deposit formed in the late Devonian (like Fosterville, Costerfield and Redcastle), 60 million years later than mesozonal gold systems formed in Victoria (for example Ballarat and Bendigo). Epizonal deposits are a form of orogenic gold deposit classified according to their depth of formation: epizonal (<6 km), mesozonal (6-12 km) and hypozonal (>12 km).

Epizonal deposits in Victoria often have associated high levels of the critical metal, antimony, and Sunday Creek is no exception. China claims a 56 per cent share of global mined supplies of antimony, according to a 2023 European Union study. Antimony features highly on the critical minerals lists of many countries including Australia, the United States of America, Canada, Japan and the European Union. Australia ranks seventh for antimony production despite all production coming from a single mine at Costerfield in Victoria, located nearby to all SXG projects. Antimony alloys with lead and tin which results in improved properties for solders, munitions, bearings and batteries. Antimony is a prominent additive for halogen-containing flame retardants. Adequate supplies of antimony are critical to the world's energy transition, and to the high-tech industry, especially the semi-conductor and defence sectors where it is a critical additive to primers in munitions.

In August 2024, the Chinese government announced it will place export limits on antimony and antimony products. This will put pressure on Western defence supply chains and negatively affect the supply of the metal and push up pricing given China's dominance of the supply of the metal in the global markets. This is positive for SXG as we are likely to have one of the very few large and high-quality projects of antimony in the western world that can feed western demand into the future.

Antimony represents approximately 20% in situ recoverable value of Sunday Creek at an AuEq of 1.88.

### Technical Background and Qualified Person

The Qualified Person, Michael Hudson, Executive Chairman and a director of Mawson Gold, and a Fellow of the Australasian Institute of Mining and Metallurgy, has reviewed, verified and approved the technical contents of this release.

Analytical samples are transported to the Bendigo facility of On Site Laboratory Services ("On Site") which operates under both an ISO 9001 and NATA quality systems. Samples were prepared and analyzed for gold using the fire assay technique (PE01S method; 25 gram charge), followed by measuring the gold in solution with flame AAS equipment. Samples for multi-element analysis (BM011 and over-range methods as required) use aqua regia digestion and ICP-MS analysis. The QA/QC program of Southern Cross Gold consists of the



systematic insertion of certified standards of known gold content, blanks within interpreted mineralized rock and quarter core duplicates. In addition, On Site inserts blanks and standards into the analytical process.

MAW considers that both gold and antimony that are included in the gold equivalent calculation ("AuEq") have reasonable potential to be recovered at Sunday Creek, given current geochemical understanding, historic production statistics and geologically analogous mining operations. Historically, ore from Sunday Creek was treated onsite or shipped to the Costerfield mine, located 54 km to the northwest of the project, for processing during WW1. The Costerfield mine corridor, now owned by Mandalay Resources Ltd contains two million ounces of equivalent gold (Mandalay Q3 2021 Results), and in 2020 was the sixth highest-grade global underground mine and a top 5 global producer of antimony.

MAW considers that it is appropriate to adopt the same gold equivalent variables as Mandalay Resources Ltd in its Mandalay Technical Report, 2024 dated March 28, 2024. The gold equivalence formula used by Mandalay Resources was calculated using Costerfield's 2023 production costs, using a gold price of US\$1,900 per ounce, an antimony price of US\$12,000 per tonne and 2023 total year metal recoveries of 94% for gold and 89% for antimony, and is as follows:

$$AuEq = Au (g/t) + 1.88 \times Sb (\%)$$

Based on the latest Costerfield calculation and given the similar geological styles and historic toll treatment of Sunday Creek mineralization at Costerfield, SXG considers that a  $AuEq = Au (g/t) + 1.88 \times Sb (\%)$  is appropriate to use for the initial exploration targeting of gold-antimony mineralization at Sunday Creek.

#### **About Mawson Gold Limited (TSXV:MAW, FRANKFURT:MXR, OTC/PINK:MWSNF)**

[Mawson Gold Limited](#) has distinguished itself as a leading Nordic exploration company. Over the last decades, the team behind Mawson has forged a long and successful record of discovering, financing, and advancing mineral projects in the Nordics and Australia. Mawson holds the Skellefteå North gold discovery and a portfolio of historic uranium resources in Sweden. Mawson also holds 49% of Southern Cross Gold Ltd. (ASX: SXG) which owns or controls two high-grade, historic epizonal goldfields in Victoria, Australia, including the exciting Sunday Creek Au-Sb discovery.

#### **About Southern Cross Gold Ltd (ASX: SXG)**

[Southern Cross Gold](#) holds the 100%-owned Sunday Creek project in Victoria and Mt Isa project in Queensland, the Redcastle joint venture in Victoria, Australia, and a strategic 6.7% holding in ASX-listed Nagambie Resources Limited (ASX: NAG) which grants SXG a Right of First Refusal over a 3,300 square kilometer tenement package held by NAG in Victoria.

On behalf of the Board,

**"Michael Hudson"**

Michael Hudson, Interim CEO and Executive Chairman

#### **Further Information**

[www.mawsongold.com](http://www.mawsongold.com)

1305 – 1090 West Georgia St., Vancouver, BC, V6E 3V7


Mariana Bermudez (Canada), Corporate Secretary

+1 (604) 685 9316 [info@mawsongold.com](mailto:info@mawsongold.com)


#### **Forward-Looking Statement**

This news release contains forward-looking statements or forward-looking information within the meaning of applicable securities laws (collectively, "forward-looking statements"). All statements herein, other than statements of historical fact, are forward-looking statements. Although Mawson believes that such statements are reasonable, it can give no assurance that such expectations will prove to be correct. Forward-looking statements are typically identified by words such as: believe, expect, anticipate, intend, estimate, postulate, and similar expressions, or are those, which, by their nature, refer to future events. Mawson cautions investors that any forward-looking statements are not guarantees of future results or performance, and that actual results may differ materially from those in forward-looking statements as a result of various factors, including, Mawson's expectations regarding its ownership interest in Southern Cross Gold, capital and other costs varying significantly from estimates, changes in world metal markets, changes in equity markets, the potential impact of epidemics, pandemics or other public health crises on the Company's business, risks related to negative publicity with respect to the Company or the mining industry in general; exploration potential being conceptual in nature, there being insufficient exploration to define a mineral resource on the Australian-projects owned by SXG, and uncertainty if further exploration will result in the determination of a mineral resource; planned drill programs and results varying from expectations, delays in obtaining results, equipment failure, unexpected geological conditions, local community relations, dealings with non-governmental organizations, delays in operations due to permit grants, environmental and safety risks, and other risks and uncertainties. Any forward-looking statement speaks only as of the date on which it is made and, except as may be required by applicable securities laws, Mawson disclaims any intent or obligation to update any forward-looking statement, whether as a result of new information, future events or results or otherwise.


**Figure 1:** Sunday Creek plan view showing selected results from hole SDDSC130 reported here (blue highlighted box, black trace), with selected prior reported drill holes and pending holes.



**Figure 2:** Sunday Creek longitudinal section across A-B in the plane of the dyke breccia/alterated sediment host looking towards the north (striking 236 degrees) showing mineralized veins sets. Showing hole SDDSC130 reported here (blue highlighted box, black trace), with selected intersections and prior reported drill holes. The vertical extents of the vein sets are limited by proximity to drill hole pierce points. For location refer to Figure 1 and zoom of section C-D shown in Figure 3.




**Figure 3:** Sunday Creek cropped longitudinal section across C-D in the plane of the dyke breccia/alterd sediment host looking towards the north (striking 236 degrees) showing mineralized veins sets. Showing hole SDDSC130 reported here (blue highlighted box, black trace), with selected intersections and prior reported drill holes. For location refer to Figure 2.






**Figure 4:** Sunday Creek regional plan view showing LIDAR, soil sampling, structural framework, regional historic epizonal gold mining areas and broad regional areas (Tonstal, Consols and Leviathan) tested by 12 holes for 2,383 m drill program. The regional drill areas are at Tonstal, Consols and Leviathan located 4,000-7,500 m along strike from the main drill area at Golden Dyke- Apollo.



**Figure 5:** Location of the Sunday Creek project, along with the Redcastle JV and simplified geology.



**Table 2:** Drill collar summary table for recent drill holes in progress.

Hole_ID	Depth (m)	Prospect	East GDA94_Z55	North GDA94_Z55	Elevation	Azimuth	Plunge
SDDSC116	682.6	Rising Sun	331465	5867865	333.3	272.5	-41.5
SDDSC117	1101	Rising Sun	330510	5867852	296.5	70.5	-64.5
SDDSC118	1246	Rising Sun	330464	5867912	286.6	80	-64.5
SDDSC119	854.1	Apollo	331498	5867858	336.7	272.5	-45.2
SDDSC120	1022.5	Rising Sun	331110	5867976	319.5	266.5	-55
SDDSC121	588.7	Rising Sun	330510	5867852	296.6	72	-63
SDDSC122	889.89	Rising Sun	330338	5867860	267.7	74	-62
SDDSC114W1	625.1	Rising Sun	330464	5867914	286.6	82	-58
SDDSC119W1	643	Apollo	331498	5867858	336.7	272.5	-45.2
SDDSC123	124.3	Apollo	331499	5867859	337	276	-52
SDDSC124	969.3	Apollo	331499	5867859	337	274	-52.2
SDDSC121W1	953.4	Rising Sun	330510	5867852	296.6	72	-63.8
SDDSC125	551.7	Golden Dyke	330462	5867920	285.6	212	-68
SDDSC126	941.4	Rising Sun	330815	5867599	295.7	321.6	-54
SDDSC122W1	1007.8	Rising Sun	330338	5867860	276.5	72	-61.4
SDDSC050W1	797.1	Rising Sun	330539	5867885	295.3	77	-63
SDDSC127	483.2	Apollo	331498	5867858	336.9	271.3	-43.3
SDDSC128	745.1	Apollo	331465	5867867	333.1	272.6	-43.3
SDDSC129	In progress plan 1200 m	Rising Sun	330388	5867860	276.5	77.3	-57.3
SDDSC092W1	767	Rising Sun	330537.2	5867882.6	295.5	82.2	-61.1
SDDSC130	614	Golden Dyke	330777	5867891	295.9	255	-42
SDDSC050W2	789.4	Rising Sun	330539	5867885	295.3	77	-63
SDDSC131	179.6	Christina	330081	5867609	273.1	284	-47
SDDSC132	740.7	Golden Dyke	330776.9	5867890.5	295.9	261.5	-50
SDDSC133	347.2	Apollo East	331380	5867740	335	8	-42
SDDSC134	230.9	Christina	330080.9	5867609.3	273.1	302.5	-61.5
SDDSC135	182.4	Christina	330080.9	5867609.3	273.1	342.5	-51
SDDSC136	349	Apollo East	331380	5867740	335	329	-41
SDDSC137	299.7	Christina	330080.9	5867609.3	273	40	-62
SDDSC138	518	Golden Dyke	330776.9	5867890.5	296	250	-36
SDDSC139	469.2	Apollo East	331465.4	5867865.1	333.2	267	-37.4
SDDSC140	349.9	Christina	330080.9	5867609.3	273.1	8.9	-70.2
SDDSC092W2	In progress plan 781 m	Rising Sun	330537.2	5867882.6	295.5	82.2	-61.1
SDDSC137W1	199.5	Christina	330074.9	5867612.4	273.6	41	-61.9
SDDSC137W2	In progress plan 222 m	Christina	330074.9	5867612.4	273.6	41	-61.9
SDDSC141	In progress plan 1020 m	Golden Dyke	330809	5867842	301	271.5	-53
SDDSC143	In progress plan 700 m	Apollo	331464.1	5867864.9	332.9	270.3	-39.1

**Table 3:** Table of mineralized drill hole intersections reported from SDDSC130 using two cutoff criteria. Lower grades cut at 1.0 g/t AuEq lower cutoff over a maximum of 2 m with higher grades cut at 5.0 g/t AuEq cutoff over a maximum of 1 m.

Hole-ID	From (m)	To (m)	Length (m)	Au g/t	Sb %	AuEq g/t
SDDSC130	133.4	134.05	0.65	49.7	0.0	49.7
SDDSC130	329.33	332.45	3.12	1.3	1.8	4.7
Including	329.33	330.65	1.32	2.1	3.6	8.8
SDDSC130	334.32	338	3.68	0.6	0.1	0.7
SDDSC130	342.51	343.77	1.26	0.9	0.9	2.5
SDDSC130	357.72	369.6	11.88	4.7	0.4	5.3
Including	358.33	358.54	0.21	44.2	5.6	54.7
Including	359.79	363.6	3.81	9.8	0.5	10.7
SDDSC130	371.95	374.06	2.11	1.6	0.3	2.1
SDDSC130	376.95	378.9	1.95	1.6	0.3	2.2
Including	378.65	378.9	0.25	8.3	0.1	8.4
SDDSC130	387.55	391.9	4.35	1.1	0.1	1.3
SDDSC130	399.22	400.55	1.33	2.1	2.0	5.8
SDDSC130	419.06	431.66	12.6	5.8	1.2	8.0
Including	420.7	421.84	1.14	5.4	1.0	7.4
Including	425.66	427.14	1.48	7.7	0.4	8.5
Including	429.65	430.51	0.86	56.2	10.4	75.8
SDDSC130	446.21	446.56	0.35	13.0	4.7	21.8
SDDSC130	461.34	462.43	1.09	2.1	0.0	2.2
SDDSC130	479.19	484.95	5.76	1.9	1.7	5.1
Including	479.19	479.31	0.12	2.3	9.4	20.0
Including	480.81	480.98	0.17	17.3	5.1	26.9
Including	484.21	484.95	0.74	4.1	10.2	23.2
SDDSC130	498.75	507.45	8.7	2.3	1.3	4.6
Including	498.75	498.98	0.23	20.9	2.2	25.0
Including	500.66	501.86	1.2	7.6	5.0	17.1
Including	505.26	506.34	1.08	2.3	1.8	5.7
SDDSC130	512.56	513.54	0.98	19.1	0.4	19.8
Including	513.26	513.54	0.28	65.2	0.4	65.9
SDDSC130	530.3	533.43	3.13	0.7	0.1	0.8



**Table 4:** All individual assays reported from SDDSC130 reported here >0.1g/t AuEq.

Hole-ID	From (m)	To (m)	Length (m)	Au g/t	Sb %	AuEq g/t
SDDSC130	54.91	55.19	0.28	0.2	0.0	0.2
SDDSC130	55.96	57.11	1.15	0.2	0.0	0.2
SDDSC130	95	96	1	0.1	0.0	0.1
SDDSC130	96	97	1	0.4	0.0	0.5
SDDSC130	97	98	1	0.2	0.0	0.3
SDDSC130	102	102.32	0.32	0.2	0.0	0.2
SDDSC130	102.32	102.6	0.28	0.2	0.0	0.2
SDDSC130	102.6	103	0.4	0.1	0.0	0.1
SDDSC130	103	104	1	0.2	0.0	0.2
SDDSC130	104	104.38	0.38	0.3	0.0	0.3
SDDSC130	104.38	105.07	0.69	0.1	0.0	0.2
SDDSC130	105.07	106	0.93	0.1	0.0	0.1
SDDSC130	106	107	1	0.1	0.0	0.1
SDDSC130	109.41	110.15	0.74	0.2	0.0	0.2
SDDSC130	115.38	115.76	0.38	1.2	0.0	1.2
SDDSC130	115.76	117	1.24	0.2	0.0	0.2
SDDSC130	117	118	1	0.1	0.0	0.1
SDDSC130	118.73	118.85	0.12	0.8	0.0	0.8
SDDSC130	118.85	120	1.15	0.4	0.0	0.4
SDDSC130	124.05	124.2	0.15	0.3	0.0	0.3
SDDSC130	131.3	131.62	0.32	1.1	0.0	1.2
SDDSC130	131.62	131.9	0.28	0.2	0.0	0.2
SDDSC130	133.4	133.85	0.45	16.7	0.0	16.7
SDDSC130	133.85	134.05	0.2	124.0	0.0	124.0
SDDSC130	134.05	135	0.95	0.9	0.0	0.9
SDDSC130	135	135.35	0.35	0.2	0.0	0.2
SDDSC130	135.35	136	0.65	0.7	0.0	0.7
SDDSC130	136	136.8	0.8	0.6	0.0	0.6
SDDSC130	136.8	137.36	0.56	0.9	0.0	0.9
SDDSC130	140.1	141.1	1	0.3	0.0	0.3
SDDSC130	141.8	142.63	0.83	0.2	0.0	0.2
SDDSC130	142.63	143	0.37	0.2	0.0	0.2
SDDSC130	143.4	143.6	0.2	0.9	0.0	0.9
SDDSC130	143.6	144.06	0.46	0.2	0.0	0.2
SDDSC130	144.06	145.3	1.24	1.2	0.0	1.2
SDDSC130	146.82	147.38	0.56	0.2	0.0	0.2
SDDSC130	148.23	148.85	0.62	0.2	0.0	0.2
SDDSC130	148.85	149.27	0.42	0.3	0.0	0.3

SDDSC130	149.27	149.47	0.2	0.3	0.0	0.3
SDDSC130	149.47	149.67	0.2	0.1	0.0	0.1
SDDSC130	149.67	150.08	0.41	0.8	2.1	4.6
SDDSC130	150.08	151	0.92	0.2	0.0	0.2
SDDSC130	151.52	151.9	0.38	0.8	0.0	0.8
SDDSC130	151.9	152.76	0.86	0.2	0.0	0.3
SDDSC130	152.76	153.32	0.56	2.1	0.0	2.1
SDDSC130	153.32	153.85	0.53	0.1	0.0	0.1
SDDSC130	153.85	154.39	0.54	0.6	0.0	0.6
SDDSC130	154.39	155.06	0.67	1.0	0.0	1.0
SDDSC130	155.06	155.78	0.72	0.5	0.0	0.5
SDDSC130	159.77	160.24	0.47	1.0	0.0	1.0
SDDSC130	162.21	163.15	0.94	0.2	0.0	0.2
SDDSC130	163.15	163.32	0.17	0.3	0.4	1.1
SDDSC130	163.32	163.72	0.4	0.2	0.0	0.2
SDDSC130	163.72	164.44	0.72	0.6	0.0	0.7
SDDSC130	164.44	164.85	0.41	0.5	0.2	0.8
SDDSC130	164.85	165.2	0.35	0.4	0.0	0.4
SDDSC130	165.2	166	0.8	0.1	0.0	0.1
SDDSC130	274.35	274.57	0.22	2.5	0.0	2.5
SDDSC130	313.17	314.13	0.96	0.1	0.0	0.1
SDDSC130	314.13	315.04	0.91	0.1	0.0	0.1
SDDSC130	315.04	316	0.96	0.1	0.0	0.1
SDDSC130	320.41	320.67	0.26	0.9	0.1	1.0
SDDSC130	320.67	321.4	0.73	0.2	0.0	0.2
SDDSC130	322.2	322.82	0.62	0.2	0.1	0.4
SDDSC130	323.15	323.43	0.28	0.6	0.1	0.7
SDDSC130	323.68	323.86	0.18	0.5	0.3	1.2
SDDSC130	323.86	324.04	0.18	0.6	0.0	0.7
SDDSC130	324.33	324.96	0.63	0.7	0.5	1.7
SDDSC130	325.54	326.22	0.68	0.1	0.0	0.1
SDDSC130	326.43	326.82	0.39	0.3	0.0	0.3
SDDSC130	328.96	329.33	0.37	0.3	0.0	0.3
SDDSC130	329.33	329.43	0.1	8.3	31.5	67.5
SDDSC130	329.43	329.57	0.14	0.3	0.3	1.0
SDDSC130	329.57	329.77	0.2	1.0	5.9	12.0
SDDSC130	329.77	330.17	0.4	0.3	0.4	1.0
SDDSC130	330.17	330.44	0.27	0.2	0.1	0.4
SDDSC130	330.44	330.65	0.21	7.6	0.8	9.0
SDDSC130	330.8	331.4	0.6	1.1	1.6	4.2
SDDSC130	331.4	331.8	0.4	0.1	0.0	0.1

SDDSC130	332	332.45	0.45	1.2	0.0	1.3
SDDSC130	332.45	332.65	0.2	0.2	0.0	0.3
SDDSC130	332.65	333	0.35	0.2	0.0	0.3
SDDSC130	333.53	334.32	0.79	0.2	0.0	0.2
SDDSC130	334.32	335	0.68	1.1	0.1	1.2
SDDSC130	335	335.25	0.25	0.3	0.0	0.4
SDDSC130	336.68	337.04	0.36	2.0	0.2	2.4
SDDSC130	337.04	337.45	0.41	0.1	0.0	0.2
SDDSC130	337.45	338	0.55	0.9	0.2	1.2
SDDSC130	339	340.3	1.3	0.1	0.0	0.1
SDDSC130	340.3	341	0.7	0.2	0.1	0.4
SDDSC130	341.13	342	0.87	0.2	0.1	0.4
SDDSC130	342	342.51	0.51	0.2	0.0	0.2
SDDSC130	342.51	342.62	0.11	1.8	3.6	8.6
SDDSC130	342.62	342.8	0.18	0.2	0.0	0.2
SDDSC130	342.8	343.07	0.27	0.6	0.1	0.8
SDDSC130	343.07	343.42	0.35	0.4	0.6	1.5
SDDSC130	343.42	343.77	0.35	1.7	1.3	4.2
SDDSC130	343.77	344.27	0.5	0.2	0.0	0.3
SDDSC130	344.27	344.68	0.41	0.2	0.0	0.3
SDDSC130	345.63	345.91	0.28	0.5	0.0	0.5
SDDSC130	346.5	346.9	0.4	0.1	0.0	0.1
SDDSC130	347.8	348.13	0.33	0.1	0.0	0.1
SDDSC130	349.23	349.83	0.6	0.3	0.0	0.4
SDDSC130	349.83	351	1.17	0.1	0.0	0.2
SDDSC130	351	351.9	0.9	0.3	0.0	0.3
SDDSC130	354.23	354.95	0.72	0.5	0.3	1.0
SDDSC130	354.95	355.16	0.21	0.5	0.1	0.6
SDDSC130	355.62	355.84	0.22	0.1	0.0	0.2
SDDSC130	355.84	356.34	0.5	0.1	0.0	0.2
SDDSC130	356.34	356.67	0.33	0.4	0.3	0.9
SDDSC130	356.67	357.17	0.5	0.4	0.1	0.5
SDDSC130	357.42	357.72	0.3	0.5	0.0	0.5
SDDSC130	357.72	357.82	0.1	1.0	0.5	1.9
SDDSC130	357.82	358	0.18	0.5	0.1	0.7
SDDSC130	358	358.33	0.33	1.2	0.2	1.6
SDDSC130	358.33	358.54	0.21	44.2	5.6	54.7
SDDSC130	358.54	358.71	0.17	1.9	0.3	2.4
SDDSC130	358.71	359.1	0.39	0.6	0.2	0.9
SDDSC130	359.1	359.51	0.41	1.3	0.2	1.8
SDDSC130	359.51	359.79	0.28	1.5	0.2	1.9

SDDSC130	359.79	360.16	0.37	45.7	1.9	49.3
SDDSC130	360.16	360.5	0.34	1.6	0.1	1.7
SDDSC130	360.5	360.9	0.4	12.1	0.2	12.4
SDDSC130	360.9	361.3	0.4	2.1	0.3	2.7
SDDSC130	361.3	361.7	0.4	1.8	1.1	3.8
SDDSC130	361.7	362.9	1.2	8.4	0.0	8.4
SDDSC130	362.9	363.35	0.45	6.3	0.2	6.6
SDDSC130	363.35	363.6	0.25	2.6	1.5	5.5
SDDSC130	363.6	363.95	0.35	1.3	0.0	1.3
SDDSC130	363.95	364.4	0.45	3.2	0.0	3.3
SDDSC130	364.4	364.7	0.3	0.8	0.0	0.8
SDDSC130	364.7	365	0.3	2.1	0.5	3.0
SDDSC130	365	365.82	0.82	0.3	0.0	0.3
SDDSC130	365.82	366.6	0.78	1.0	0.0	1.1
SDDSC130	366.6	367.2	0.6	2.7	0.2	3.1
SDDSC130	368.45	368.58	0.13	1.7	3.1	7.5
SDDSC130	368.58	369.6	1.02	1.1	0.1	1.2
SDDSC130	371.39	371.95	0.56	0.2	0.0	0.2
SDDSC130	371.95	372.25	0.3	0.7	0.3	1.3
SDDSC130	372.25	373	0.75	0.4	0.2	0.8
SDDSC130	373	373.45	0.45	1.8	0.4	2.5
SDDSC130	373.45	373.58	0.13	2.5	0.3	3.1
SDDSC130	373.58	374.06	0.48	3.5	0.3	4.0
SDDSC130	374.47	375.4	0.93	0.5	0.0	0.5
SDDSC130	375.4	375.78	0.38	0.4	0.0	0.4
SDDSC130	375.78	376.37	0.59	0.1	0.0	0.2
SDDSC130	376.95	377.8	0.85	0.4	0.5	1.3
SDDSC130	378.05	378.35	0.3	0.1	0.8	1.6
SDDSC130	378.35	378.65	0.3	2.2	0.0	2.2
SDDSC130	378.65	378.9	0.25	8.3	0.1	8.4
SDDSC130	378.9	379.35	0.45	0.2	0.0	0.2
SDDSC130	379.35	379.71	0.36	0.3	0.1	0.4
SDDSC130	379.71	380.15	0.44	0.2	0.0	0.3
SDDSC130	380.15	381	0.85	0.4	0.0	0.4
SDDSC130	381	381.72	0.72	0.7	0.0	0.8
SDDSC130	381.72	382.42	0.7	0.1	0.0	0.2
SDDSC130	382.42	382.9	0.48	0.1	0.0	0.1
SDDSC130	384.1	384.39	0.29	0.6	0.1	0.7
SDDSC130	384.39	384.77	0.38	0.1	0.0	0.1
SDDSC130	385	386.37	1.37	0.3	0.1	0.5
SDDSC130	386.37	387.55	1.18	0.1	0.0	0.2



SDDSC130	387.55	388.12	0.57	3.3	0.1	3.4
SDDSC130	388.12	388.8	0.68	0.7	0.0	0.7
SDDSC130	390.1	390.46	0.36	2.0	0.3	2.5
SDDSC130	390.46	391.35	0.89	0.5	0.2	0.9
SDDSC130	391.35	391.9	0.55	2.1	0.3	2.8
SDDSC130	391.9	392.6	0.7	0.5	0.0	0.6
SDDSC130	392.6	393.3	0.7	0.4	0.0	0.5
SDDSC130	399.22	399.46	0.24	5.3	2.8	10.6
SDDSC130	399.76	400.1	0.34	0.3	0.0	0.4
SDDSC130	400.1	400.55	0.45	3.1	4.3	11.3
SDDSC130	400.55	401	0.45	0.1	0.0	0.1
SDDSC130	402.14	402.26	0.12	0.1	0.3	0.6
SDDSC130	403.25	403.43	0.18	0.8	0.1	1.0
SDDSC130	403.78	403.94	0.16	0.8	0.2	1.1
SDDSC130	404.68	404.94	0.26	0.3	0.0	0.3
SDDSC130	406.21	406.67	0.46	0.8	0.1	0.9
SDDSC130	406.67	406.95	0.28	0.8	0.3	1.4
SDDSC130	406.95	407.4	0.45	0.2	0.0	0.2
SDDSC130	407.4	407.55	0.15	1.3	0.3	1.9
SDDSC130	410.64	411.04	0.4	1.0	1.1	3.0
SDDSC130	411.04	411.72	0.68	0.2	0.0	0.2
SDDSC130	411.72	412.2	0.48	0.3	0.0	0.3
SDDSC130	412.2	412.3	0.1	0.1	0.0	0.1
SDDSC130	416	416.31	0.31	0.5	0.0	0.5
SDDSC130	416.61	416.9	0.29	0.4	1.1	2.4
SDDSC130	417.53	417.87	0.34	0.1	0.0	0.1
SDDSC130	419.06	419.22	0.16	4.4	0.0	4.5
SDDSC130	419.22	419.86	0.64	0.4	0.4	1.1
SDDSC130	419.86	420.34	0.48	0.8	0.8	2.3
SDDSC130	420.34	420.7	0.36	0.6	0.3	1.2
SDDSC130	420.7	420.8	0.1	24.9	0.7	26.2
SDDSC130	420.8	421.2	0.4	2.2	1.4	4.8
SDDSC130	421.2	421.84	0.64	4.4	0.9	6.0
SDDSC130	421.84	422.76	0.92	0.9	1.7	4.2
SDDSC130	422.76	423.13	0.37	0.4	0.2	0.8
SDDSC130	423.13	423.61	0.48	0.3	0.1	0.5
SDDSC130	423.61	423.81	0.2	1.2	0.7	2.5
SDDSC130	423.81	424.4	0.59	2.5	1.2	4.8
SDDSC130	424.4	424.88	0.48	0.4	0.3	1.0
SDDSC130	424.88	425.66	0.78	0.3	0.0	0.4
SDDSC130	425.66	425.91	0.25	7.3	0.5	8.2

SDDSC130	425.91	426.09	0.18	0.6	0.4	1.3
SDDSC130	426.09	426.4	0.31	18.9	1.1	20.9
SDDSC130	426.4	426.6	0.2	13.0	0.1	13.2
SDDSC130	426.6	426.97	0.37	0.3	0.0	0.3
SDDSC130	426.97	427.14	0.17	5.4	0.3	5.9
SDDSC130	427.14	428.05	0.91	0.7	0.1	0.9
SDDSC130	428.05	428.59	0.54	0.5	0.4	1.2
SDDSC130	428.59	428.8	0.21	2.1	0.5	3.1
SDDSC130	428.8	429.31	0.51	0.3	0.1	0.5
SDDSC130	429.31	429.65	0.34	0.5	0.1	0.8
SDDSC130	429.65	429.83	0.18	16.9	19.4	53.4
SDDSC130	429.83	430.02	0.19	10.2	1.4	12.9
SDDSC130	430.02	430.13	0.11	21.2	1.8	24.5
SDDSC130	430.13	430.51	0.38	108.0	13.2	132.8
SDDSC130	430.51	430.83	0.32	0.3	0.1	0.5
SDDSC130	430.83	431.35	0.52	0.2	0.1	0.3
SDDSC130	431.35	431.66	0.31	1.1	0.5	2.0
SDDSC130	431.66	432.31	0.65	0.1	0.0	0.2
SDDSC130	432.31	433.05	0.74	0.2	0.0	0.3
SDDSC130	433.05	434	0.95	0.2	0.2	0.5
SDDSC130	434.75	435.6	0.85	0.1	0.0	0.2
SDDSC130	440.63	441.23	0.6	0.6	0.1	0.8
SDDSC130	441.23	441.56	0.33	0.5	0.0	0.5
SDDSC130	446	446.21	0.21	0.2	0.1	0.3
SDDSC130	446.21	446.39	0.18	9.1	8.4	24.8
SDDSC130	446.39	446.56	0.17	17.1	0.8	18.6
SDDSC130	446.56	446.67	0.11	0.1	0.0	0.2
SDDSC130	447.7	447.89	0.19	0.4	0.0	0.4
SDDSC130	449.95	450.2	0.25	0.1	0.0	0.1
SDDSC130	450.2	450.72	0.52	0.7	1.0	2.6
SDDSC130	450.72	451	0.28	1.0	0.1	1.1
SDDSC130	452.48	452.78	0.3	0.1	0.0	0.2
SDDSC130	455.86	456.8	0.94	0.6	0.0	0.6
SDDSC130	457.5	458	0.5	0.1	0.0	0.2
SDDSC130	458	458.4	0.4	2.3	0.1	2.4
SDDSC130	459.46	460.41	0.95	0.4	0.0	0.4
SDDSC130	460.79	461.34	0.55	0.4	0.0	0.5
SDDSC130	461.34	462.05	0.71	1.2	0.0	1.2
SDDSC130	462.05	462.43	0.38	3.9	0.0	4.0
SDDSC130	462.43	462.9	0.47	0.3	0.0	0.3
SDDSC130	462.9	463.41	0.51	0.1	0.0	0.2

SDDSC130	477.6	478.65	1.05	0.3	0.0	0.3
SDDSC130	478.65	479.19	0.54	0.3	0.2	0.6
SDDSC130	479.19	479.31	0.12	2.3	9.4	20.0
SDDSC130	479.31	479.98	0.67	0.1	0.1	0.3
SDDSC130	479.98	480.81	0.83	0.6	0.1	0.8
SDDSC130	480.81	480.98	0.17	17.3	5.1	26.9
SDDSC130	480.98	482	1.02	3.0	0.0	3.1
SDDSC130	482	482.83	0.83	0.2	0.1	0.3
SDDSC130	482.83	483.35	0.52	1.2	0.3	1.6
SDDSC130	484.21	484.49	0.28	6.6	22.4	48.7
SDDSC130	484.49	484.95	0.46	2.5	2.8	7.7
SDDSC130	484.95	485.63	0.68	0.6	0.1	0.7
SDDSC130	486.46	487.29	0.83	0.5	0.0	0.6
SDDSC130	487.55	488.34	0.79	0.7	0.0	0.7
SDDSC130	494.47	494.8	0.33	2.6	0.8	4.1
SDDSC130	498.75	498.98	0.23	20.9	2.2	25.0
SDDSC130	498.98	499.63	0.65	0.6	0.4	1.3
SDDSC130	499.63	500.34	0.71	0.2	0.4	0.9
SDDSC130	500.34	500.66	0.32	0.4	0.2	0.7
SDDSC130	500.66	500.88	0.22	4.5	19.5	41.1
SDDSC130	500.88	501.18	0.3	1.8	1.3	4.2
SDDSC130	501.18	501.39	0.21	29.7	0.9	31.4
SDDSC130	501.39	501.86	0.47	2.9	2.5	7.6
SDDSC130	501.86	502.43	0.57	0.6	0.6	1.6
SDDSC130	502.43	503.14	0.71	0.6	0.5	1.6
SDDSC130	503.14	503.98	0.84	0.4	0.2	0.7
SDDSC130	503.98	504.49	0.51	0.8	0.3	1.3
SDDSC130	504.49	505.06	0.57	1.1	1.2	3.5
SDDSC130	505.06	505.26	0.2	0.5	0.1	0.7
SDDSC130	505.26	505.49	0.23	3.8	2.5	8.5
SDDSC130	505.49	506.34	0.85	1.9	1.6	5.0
SDDSC130	506.34	506.8	0.46	0.2	0.1	0.3
SDDSC130	506.8	506.96	0.16	0.2	0.7	1.4
SDDSC130	506.96	507.35	0.39	0.4	0.1	0.6
SDDSC130	507.35	507.45	0.1	2.1	0.6	3.3
SDDSC130	507.45	508.24	0.79	0.3	0.3	0.9
SDDSC130	508.24	509.34	1.1	0.4	0.1	0.5
SDDSC130	509.34	509.98	0.64	0.7	0.2	1.0
SDDSC130	509.98	510.48	0.5	0.1	0.1	0.2
SDDSC130	512.56	513.26	0.7	0.6	0.4	1.4
SDDSC130	513.26	513.54	0.28	65.2	0.4	65.9

SDDSC130	513.54	514	0.46	0.1	0.0	0.1
SDDSC130	515.35	516	0.65	1.0	0.0	1.0
SDDSC130	529	529.75	0.75	0.2	0.1	0.4
SDDSC130	530.3	530.48	0.18	0.9	0.8	2.3
SDDSC130	530.48	530.89	0.41	0.1	0.0	0.1
SDDSC130	530.89	531.29	0.4	1.6	0.2	1.9
SDDSC130	531.29	532.21	0.92	0.7	0.0	0.7
SDDSC130	532.21	532.75	0.54	0.7	0.0	0.7
SDDSC130	532.75	533.3	0.55	0.2	0.0	0.2
SDDSC130	533.3	533.43	0.13	0.9	0.3	1.4
SDDSC130	533.43	533.63	0.2	0.5	0.0	0.5
SDDSC130	533.63	534.66	1.03	0.1	0.0	0.2
SDDSC130	534.66	534.85	0.19	0.5	0.1	0.7
SDDSC130	535.43	536.3	0.87	0.1	0.0	0.1
SDDSC130	539	539.5	0.5	0.3	0.0	0.3