

MAWSON

1305 – 1090 West Georgia Street, Vancouver, BC, V6E 3V7
Phone: +1 604 685 9316 / Fax: +1 604 683 1585

NEWS RELEASE

APRIL 12, 2021

Mawson Defines Two New Areas in First Winter Drilling Results from Finland Drills 70.3 m @ 1.6 g/t AuEq at The Hut and 1.5 m @ 19.6 g/t AuEq at Joki East

Vancouver, Canada — **Mawson Gold Limited** ("Mawson") or (the "Company") (TSX:MAW) (Frankfurt:MXR) (PINKSHEETS: MWSNF) is pleased to announce results from two new areas that are located outside and adjacent to current resource areas. These results deliver the thickest mineralized zone found at Rajapalot to date at The Hut and continue to extend high-grade mineralization at Joki East. Fifteen diamond drill holes are reported as part of the Company's 76 hole, 19,422 metre 2020/21 drill program at the Company's 100%-owned Rajapalot project in Finland.

Highlights:

- Results are presented for two new discovery areas: The Hut and Joki East, that are located outside and adjacent to current resource areas at Rajapalot (Figure 1);
- At **Joki East**, a blind discovery made by Mawson in late 2020, high grade mineralization has been drilled at the shallowest levels yet found;
 - Drill hole **PAL0252** intersected **1.5 metres @ 18.1 g/t Au, 1,696 ppm Co, 19.6 g/t AuEq** from 117.1 metres;
 - Mineralization at Joki East now extends over 225 metres down plunge and 30-40 metres across strike with mineralization open up- and down-plunge;
- A new discovery has been drilled in PAL0259 at **The Hut** prospect and delivers the thickest mineralized zone drilled to date at Rajapalot;
 - Drill hole **PAL0259** intersected **70.3 metres @ 0.9 g/t Au, 828 ppm Co, 1.6 g/t AuEq** from 95.8 metres (no lower cut-off applied);
 - Including 23.3 metres @ 1.2 g/t Au, 1,035 ppm Co, 2.1 g/t AuEq from 100.7 metres;
 - Including 14.4 metres @ 0.6 g/t Au, 1,531 ppm Co, 1.9 g/t AuEq from 126.3 metres;
 - Including 2.4 metres @ 3.9 g/t Au, 747 ppm Co, 4.6 g/t AuEq from 143.3 metres;
 - Including 7.0 metres @ 1.1 g/t Au, 31 ppm Co, 1.2 g/t AuEq from 159.0 metres;
 - Drill hole **PAL0263**, drilled 70 metres down plunge and north of PAL0259, intersected:
 - 13.6 metres @ 1.2 g/t Au and 98 ppm Co (1.3 g/t AuEq) from 103.0 metres;
 - including 2.7 metres @ 5.0 g/t Au, 264 ppm Co, 5.3 g/t AuEq from 104.8 metres;
 - 4.3 metres @ 2.3 g/t Au, 26 ppm Co, 2.3 g/t AuEq from 121.5 metres;
 - 9.2 metres @ 1.1 g/t Au, 256 ppm Co, 1.3 g/t AuEq from 222.3 metres;
 - including 2.0 metres @ 4.3 g/t Au, 170 ppm Co, 4.4 g/t AuEq from 227.3 metres;
 - Drill hole **PAL0269**, drilled 50 metres north-west from PAL0263 intersected:
 - 15 metres @ 1.0 g/t Au, 307 ppm Co, 1.3 g/t AuEq from 195.9 metres;
 - including 6.0 metres @ 2.1 g/t Au, 501 ppm Co, 2.5 g/t AuEq from 198.9 metres; and
 - 3.0 metres @ 3.1 g/t Au, 13 ppm Co, 3.1 g/t AuEq from 219.4 metres
- In total, since drilling commenced in September 2020, Mawson has drilled 76 drillholes for 19,422 metres. A total of 15 holes for 4,478 metres are presented here; and

- A total of 50 drill holes for 12,600 metres from 5 individual prospect areas remain to be reported through to June 2021, with a resource upgrade scheduled for July 2021.

Mr. Hudson, Chairman and CEO, states, "After an active few months in the field, this is a strong start, delivering both high grades and thick gold-cobalt mineralization on new discoveries close to our already defined resource areas. These results show the potential to substantially grow the Rajapalot resource and we highly anticipate the additional results from 50 drill holes that will be reported from five individual prospect areas over the coming months."

The Hut and Joki East are located 500 metres and 1,500 metres respectively from the closest resource areas (Figure 1). Gold and cobalt assay results are reported here from 15 holes for 4,478 metres from the 2020/21 drill program, which is now complete. In total, since drilling commenced in September 2020, Mawson has drilled 76 drillholes for 19,422 metres. Eleven holes for 2,345 metres were reported in late 2020 (Table 1). Drilling with 4 rigs ramped up through February and March 2021. With the snow melt commencing in late March, the winter program drilling was completed just short of the planned 20,000 metres. A total of 50 drill holes for 12,600 metres from five individual prospect areas remain to be reported through to June 2021, with a resource upgrade scheduled for July 2021. Specifically, holes released here are from Joki East (PAL0249-254) and The Hut (PAL0255-257, PAL0259-260, PAL0263, PAL0265 and PAL0269). A full set of reported results is shown in Table 2.

Technical and Environmental Background

Four diamond drill rigs from Kati Oy, Nivalan Timanttikairaus Oy and MK Core Drilling Oy all with water recirculation and drill cuttings collection systems are used in the drill program. Core diameter is NQ2 (50.7 mm). Core recoveries are excellent and average close to 100% in fresh rock. After photographing and logging in Mawson's Rovaniemi facilities, core intervals averaging 1 metre for mineralized samples and 2 metres for barren samples are cut in half at the Geological Survey of Finland (GTK) core facilities in Rovaniemi, Finland. The remaining half core is retained for verification and reference purposes. Analytical samples are transported by commercial transport from site to the CRS Minlab Oy facility in Kempele, Finland. Samples were prepared and analyzed for gold using the PAL1000 technique which involves grinding the sample in steel pots with abrasive media in the presence of cyanide, followed by measuring the gold in solution with flame AAS equipment. Samples for multi-element analysis (including cobalt) are pulped at CRS Minlab, then transported by air to the MSA labs in Vancouver, Canada and analyzed using four acid digest ICP-MS methods. The QA/QC program of Mawson consists of the systematic insertion of certified standards of known gold content, duplicate samples by quartering the core, and blanks the within interpreted mineralized rock. In addition, CRS inserts blanks and standards into the analytical process.

Spot gold and cobalt prices have been used to calculate AuEq values according to the following:

- Average gold price \$1,599 per oz
- Average cobalt price \$19.93 per pound
- Resulting in gold equivalent formula of $AuEq\ g/t = Au\ g/t + (Co\ ppm/1,170)$.

The host rocks to the gold and cobalt mineralization comprise sulphides (pyrrhotite>>pyrite) with biotite-muscovite-chlorite schists and Mg-Fe amphibole-biotite-chlorite rocks. Veining and fracture fill minerals include pyrrhotite, magnetite and magnetite-pyrrhotite (+/- quartz, tourmaline). Retrograde chlorite after biotite, generations of secondary muscovite ("sericite") and vein-controlled chlorite +/- tourmaline and magnetite are also present. Preliminary hand-held XRF analysis confirms the presence of associated scheelite and molybdenite, the former visible under UV light as tiny veinlets and disseminations. The silicate mineral alteration assemblages associated with the gold are clearly post-metamorphic, reduced, and most likely driven by hydrothermal fluids from nearby granitoid intrusions. Chlorite and fine muscovite are regarded as the lowest temperature silicate minerals with gold, structurally controlled in apparent spatial association with quartz and/or K-feldspar veins. Altered rocks enclosing the mineralized package contain locally abundant talc and tourmaline.

All maps have been created within the KKJ3/Finland Uniform Coordinate System (EPSG:2393).

Tables 1–2 provide collar and assay data. Assuming a predominant stratabound control, the true thickness of the mineralized interval is interpreted to be approximately 90% of the sampled thickness. Table 3 gives detailed individual assays of all intervals reported in this press release. Intersections are reported with a lower cut of 0.3 g/t AuEq over 2 metre lower cut, except where noted no lower cut was applied. No upper cut-off was applied, and higher-grade intersections use a 1.1 g/t AuEq lower cut over 2 metres.

The qualified person for Mawson's Finnish projects, Dr. Nick Cook, Chief Geologist for Mawson and a Fellow of the Australasian Institute of Mining Metallurgy has reviewed and verified the contents of this release.

NI 43-101 Technical Report: On [September 14, 2020](#), an updated resource estimation was completed by Rodney Webster of AMC of Melbourne, Australia, and Dr. Kurt Simon Forrester of Arn Perspective of Surrey, England. Each of Mr. Webster and Dr. Forrester are independent "qualified persons" as defined by NI 43-101. The NI 43-101 technical report is entitled "Rajapalot Property Mineral Resource Estimate NI 43-101 Technical Report" and dated September 14, 2020 (the "Updated Technical Report"). The Updated Technical Report may be found on the Company's website at www.mawsongold.com or under the Company's profile on SEDAR at www.sedar.com. Readers are encouraged to read the entire Updated Technical Report.

Qualified Person

Dr. Nick Cook (FAusIMM), Chief Geologist for the Company, is a qualified person as defined by National Instrument 43-101 – Standards of Disclosure or Mineral Projects and has prepared or reviewed the preparation of the scientific and technical information in this press release.

About Mawson Gold Limited (TSX:MAW, FRANKFURT:MXR, OTC:PINK:MWSNF)

[Mawson Gold Limited](#) is an exploration and development company. Mawson has distinguished itself as a leading Nordic Arctic exploration company with a focus on the flagship Rajapalot gold-cobalt project in Finland. Mawson also owns or is joint venturing into three high-grade, historic epizonal goldfields covering 470 square kilometres in Victoria, Australia and is well placed to add to its already significant gold-cobalt resource in Finland.

Further Information

www.mawsongold.com

1305 – 1090 West Georgia St., Vancouver, BC, V6E 3V7

Mariana Bermudez (Canada), Corporate Secretary, +1 (604) 685 9316,

info@mawsongold.com

On behalf of the Board,

"Michael Hudson"

Michael Hudson, Chairman & CEO

Forward-Looking Statement

This news release contains forward-looking statements or forward-looking information within the meaning of applicable securities laws (collectively, "forward-looking statements"). All statements herein, other than statements of historical fact, are forward-looking statements. Although Mawson believes that such statements are reasonable, it can give no assurance that such expectations will prove to be correct. Forward-looking statements are typically identified by words such as: believe, expect, anticipate, intend, estimate, postulate, and similar expressions, or are those, which, by their nature, refer to future events. Mawson cautions investors that any forward-looking statements are not guarantees of future results or performance, and that actual results may differ materially from those in forward-looking statements as a result of various factors, including, but not limited to, capital and other costs varying significantly from estimates, changes in world metal markets, changes in equity markets, the potential impact of epidemics, pandemics or other public health crises, including the current pandemic known as COVID-19 on the Company's business, timing and successful completion of planned drill programs and results varying from expectations, delays in obtaining results, equipment failure, unexpected geological conditions, local community relations, dealings with non-governmental organizations, delays in operations due to permit grants, environmental and safety risks, and other risks and uncertainties disclosed under the heading "Risk Factors" in Mawson's most recent Annual Information Form filed on www.sedar.com. Any forward-looking statement speaks only as of the date on which it is made and, except as may be required by applicable securities laws, Mawson disclaims any intent or obligation to update any forward-looking statement, whether as a result of new information, future events or results or otherwise.

Figure 1: Plan of Rajapalot showing results reported here for Joki East and The Hut (dashed red rectangles) with historic drilling, resource areas and EM geophysical plates.




Table 1: Collar Information from 2020-21 drilling program at the Rajapalot Project (Finnish Grid, Projection KKJ3)

Hole ID	East	North	Azimuth	Dip	RL	Depth (m)	Prospect	Comment
PAL0235	3408208.1	7373667.8	047	-81.0	172.7	176.9 to 522.0	South Palokas	Results awaited
PAL0237	3409690	7374570	220	-61	180.4	68.5	Hirvimaa	reported 25 Nov 2020
PAL0238	3409662	7374613	220	-77	180.9	149.7	Hirvimaa	reported 25 Nov 2020
PAL0239	3410303.4	7372642.9	060	-66.0	151.0	41.7	Joki East	Abandoned, reported 25 Nov 2020
PAL0240	3410305.1	7372643.6	060	-66.0	151.2	281.7	Joki East	reported 25 Nov 2020
PAL0241	3410337.8	7372661.1	060	-66.0	151.3	236.4	Joki East	reported 25 Nov 2020
PAL0242	3410364.0	7372674.9	060	-66.0	150.6	236.8	Joki East	reported 25 Nov 2020
PAL0243	3410309.3	7372708.5	060	-67.5	151.4	239.7	Joki East	reported 21 Dec 2020
PAL0244	3410337.3	7372726.2	062	-68.0	151.4	251.7	Joki East	reported 21 Dec 2020
PAL0245	3410275.0	7372690.0	060	-66.0	151.4	257.5	Joki East	reported 21 Dec 2020
PAL0246	3410266.1	7372744.7	060	-71.0	152.3	287.6	Joki East	reported 21 Dec 2020
PAL0247	3410211.8	7372728.5	061	-64.0	151.5	293.4	Joki East	reported 21 Dec 2020
PAL0248	3411714.7	7371404.9	065	-60.0	124.9	323.6	Regional	Reported here
PAL0249	3410204.0	7372724.3	064	-72.0	151.6	269.6	Joki East	Reported here
PAL0250	3410404.0	7372632.2	060	-66.0	151.2	195.3	Joki East	Reported here
PAL0251	3410374.9	7372616.9	060	-66.0	151.0	179.9	Joki East	Reported here
PAL0252	3410435.4	7372651.2	060	-66.0	149.5	155.9	Joki East	Reported here
PAL0253	3410154.1	7372819.7	061	-78.5	153.8	359.7	Joki East	Reported here
PAL0254	3410153.2	7372821.5	061	-70.5	155.0	320.9	Joki East	Reported here
PAL0255	3408125.6	7373140.2	090	-85.0	172.5	347.9	Hut	Reported here
PAL0256	3408125.6	7373140.2	088	-72.0	172.5	272.6	Hut	Reported here
PAL0257	3408126.6	7373140.2	087	-58.0	172.5	230.4	Hut	Reported here
PAL0258	3407835.1	7372449.6	039	-85.0	172.3	389.8	Rumajärvi	Results awaited
PAL0259	3408064.0	7372937.0	057	-61.5	173.4	299.9	Hut	Reported here
PAL0260	3408089.4	7373033.5	059	-70.0	173.1	320.6	Hut	Reported here
PAL0261	3408064.0	7372937.0	057	-74.0	173.4	311.7	Hut	Results awaited
PAL0262	3408463.9	7373910.4	139	-73.0	173.6	358.9	Palokas	Results awaited
PAL0263	3408089.4	7373033.5	059	-84.0	173.1	329.8	Hut	Reported here
PAL0264	3407834.0	7372449.7	039	-68.0	172.8	125.5	Rumajärvi	Results awaited
PAL0265	3407956.6	7373143.7	143	-49.0	172.1	301.8	Hut	Reported here
PAL0266	3407835.1	7372448.6	210	-78.0	172.3	149.7	Rumajärvi	Results awaited
PAL0267	3407840.8	7372408.1	065	-48.2	172.7	268.9	Rumajärvi	Results awaited
PAL0268	3408186.3	7372767.6	060	-80.0	178.7	131.5	Terry's Hammer	Results awaited
PAL0269	3407956.6	7373143.7	126	-46.0	172.1	268.5	Hut	Reported here
PAL0270	3408463.9	7373910.4	124	-59.0	173.6	289.8	Palokas	Results awaited
PAL0271	3408186.3	7372767.6	210	-85.0	178.7	120.0	Terry's Hammer	Results awaited
PAL0272	3407840.8	7372408.1	065	-73.0	172.7	302.6	Rumajärvi	Results awaited
PAL0273	3408215.8	7372746.9	119	-54.0	177.3	82.1	Terry's Hammer	Results awaited
PAL0274	3407956.6	7373143.7	114	-45.0	172.1	280.2	Hut	Results awaited
PAL0275	3408089.4	7373033.5	240	-81.0	173.1	161.8	Hut	Results awaited
PAL0276	3408467.8	7373868.1	128	-50.0	172.0	23.9	Palokas	Results awaited
PAL0277	3408090.7	7373033.0	056	-81.5	173.6	257.3	Hut	Results awaited
PAL0278	3407956.6	7373143.0	150	-50.0	172.1	280.0	Hut	Results awaited
PAL0279	3408467.8	7373868.1	128	-50.0	172.0	287.9	Palokas	Results awaited
PAL0280	3407641.8	7372426.8	061	-38.0	173.0	342.9	Rumajärvi	Results awaited
PAL0281	3408544.8	7373674.7	116	-60.0	173.5	146.3	South Palokas	Results awaited
PAL0282	3407941.4	7373070.5	061	-67.0	172.7	341.9	Hut	Results awaited
PAL0283	3408467.8	7373868.1	141	-52.1	173.5	277.9	Palokas	Results awaited
PAL0284	3408521.2	7373606.0	062	-79.0	173.6	146.6	South Palokas	Results awaited
PAL0285	3407641.8	7372426.9	061	-47.0	173.0	314.2	Rumajärvi	Results awaited
PAL0286	3408521.2	7373606.0	240	-69.0	173.6	149.4	South Palokas	Results awaited
PAL0287	3407941.4	7373070.5	061	-76.0	172.7	346.7	Hut	Results awaited
PAL0288	3408521.2	7373606.0	240	-57.0	173.6	172.8	South Palokas	Results awaited
PAL0289	3408467.8	7373868.1	155	-52.0	172.0	305.2	Palokas	Results awaited
PAL0290	3408410.5	7373660.5	235	-78.0	174.0	335.6	South Palokas	Results awaited
PAL0291	3407941.4	7373070.5	061	-85.0	172.7	329.3	Hut	Results awaited
PAL0292	3408112.4	7372770.1	060	-61.0	172.4	149.1	Terry's Hammer	Results awaited
PAL0293	3408467.8	7373868.1	061	-68.0	172.0	344.3	Palokas	Results awaited
PAL0294	3407941.4	7373070.5	220	-87.0	172.7	353.7	Hut	Results awaited
PAL0295	3408821.1	7372287.6	058	-80.0	172.7	140.2	Raja	Results awaited
PAL0296	3408410.5	7373660.5	241	-71.5	174.0	368.7	South Palokas	Results awaited
PAL0297	3408821.1	7372287.6	058	-66.0	172.7	169.4	Raja	Results awaited
PAL0298	3408466.5	7373867.0	128	-65.0	173.9	305.1	Palokas	Results awaited
PAL0299	3408410.5	7373660.5	241	-64.5	174.0	394.7	South Palokas	Results awaited
PAL0300	3408821.1	7372287.6	245	-80.0	172.7	142.5	Raja	Results awaited
PAL0301	3407999.2	7373194.3	115	-57.0	172.1	335.0	Hut	Results awaited
PAL0302	3408912.5	7372341.5	238	-73.0	172.3	163.8	Raja	Results awaited

PAL0303	3407712.4	7373644.2	044	-75.5	172.7	629.2	South Palokas	Results awaited
PAL0304	3407681.1	7373602.7	160	-58.0	173.6	125.2	South Palokas	Results awaited
PAL0305	3407649.8	7373660.5	050	-82.0	174.0	281.5	South Palokas	Results awaited
PAL0306	3407843	7372798	60	-45	172.4	280.6	Rumajärvi	Results awaited
PAL0307	3408273	7373630	66	-85	174.66	352.9	South Palokas	Results awaited
PAL0308	3408134	7373634	50	-77	173	515.6	South Palokas	Results awaited
PAL0309	3407850	7372499	81	-74	172.5	202.5	Rumajärvi	Results awaited
PAL0310	3408610	7373895	167	-76	174.86	209.5	Palokas	Results awaited
PAL0311	3408610	7373895	96	-55	174.86	78.9	Palokas	Abandoned due to snow melt

Table 2: Intersections from the 2020-21 Winter Drill Program. Intersections are reported with a lower cut of 0.3 g/t AuEq (using long term forecast gold and cobalt prices of \$1,599 per ounce and \$19.93 per pound respectively) over 2 metre lower cut. No upper cut-off was applied. "<" is below detection limit of 0.05 g/t Au.

Prospect	Hole ID	From (m)	To (m)	Width (m)	Au g/t	Co ppm	AuEq g/t
Joki East	PAL0240	148.8	149.8	1.0	0.9	5	0.9
Joki East	PAL0240	165.1	167.5	2.4	0.1	1187	1.1
Joki East	PAL0241	168.6	170.2	1.6	28.3	1190	29.3
Joki East	PAL0242	154.0	158.5	4.4	7.3	735	7.9
Joki East	PAL0243	193.0	195.9	2.9	0.6	574	1.1
Joki East	PAL0245	177.1	178.4	1.3	25.3	2327	27.3
Joki East	PAL0245	191.0	191.5	0.5	23.0	3974	26.4
Joki East	PAL0245	194.8	196.9	2.1	2.8	806	3.5
Joki East	PAL0246	188.6	189.2	0.6	10.3	725	10.9
Joki East	PAL0246	204.4	212.4	7.9	0.7	323	1.0
Joki East	PAL0247	216.6	218.5	1.9	0.7	103	0.7
Joki East	PAL0247	220.9	230.0	9.1	4.3	457	4.7
Joki East	PAL0249	177.3	178.3	1.0	2.5	344	2.8
Joki East	PAL0250	87.5	89.2	1.7	2.0	159	2.1
Joki East	PAL0250	120.5	121.5	1.0	0.8	130	0.9
Joki East	PAL0250	125.2	128.1	2.9	1.5	782	2.2
Joki East	PAL0250	136.6	137.6	1.0	1.8	33	1.8
Joki East	PAL0251	146.5	146.9	0.5	0.4	15	0.4
Joki East	PAL0251	152.8	153.9	1.2	0.4	29	0.4
Joki East	PAL0252	117.0	118.5	1.5	18.1	1696	19.6
Joki East	PAL0254	215.0	218.1	3.1	0.4	107	0.5
Joki East	PAL0254	288.5	290.0	1.5	1.3	167	1.4
Hut	PAL0255	78.8	90.1	11.4	0.4	123	0.5
Hut	PAL0255	102.5	103.5	1.1	0.1	314	0.3
Hut	PAL0255	106.6	110.5	4.0	0.1	222	0.3
Hut	PAL0255	212.7	213.8	1.1	0.1	609	0.6
Hut	PAL0255	236.6	237.7	1.1	0.2	268	0.4
Hut	PAL0255	312.1	313.1	1.0	1.0	44	1.1
Hut	PAL0256	79.4	83.0	3.7	0.2	67	0.3
Hut	PAL0256	95.9	96.9	1.0	0.2	382	0.5
Hut	PAL0256	100.2	101.2	1.0	0.3	127	0.4
Hut	PAL0256	110.0	113.0	3.0	0.9	549	1.3
Hut	PAL0256	115.1	119.0	3.9	0.3	223	0.5
Hut	PAL0256	121.4	125.0	3.7	0.1	234	0.3
Hut	PAL0256	140.0	142.0	2.0	0.0	385	0.4
Hut	PAL0257	47.0	48.0	1.0	0.1	219	0.3
Hut	PAL0257	174.5	175.5	1.0	0.1	429	0.4
Hut	PAL0259	95.8	124.0	28.3	1.0	1090	2.0
Hut	PAL0259	126.3	150.3	24.0	1.0	1104	2.0
Hut	PAL0259	153.3	154.3	1.0	1.7	10	1.7
Hut	PAL0259	159.0	166.0	7.0	1.1	31	1.2
Hut	PAL0260	89.8	97.8	8.0	0.4	83	0.5
Hut	PAL0260	109.0	114.4	5.4	3.0	262	3.2
Hut	PAL0260	290.5	291.5	1.0	0.1	1357	1.2
Hut	PAL0263	98.7	99.9	1.1	2.2	473	2.6
Hut	PAL0263	103.0	116.6	13.6	1.2	98	1.3

Hut	PAL0263	121.5	125.8	4.3	2.3	26	2.3
Hut	PAL0263	222.3	231.5	9.2	1.1	256	1.3
Hut	PAL0265	203.2	204.2	1.0	1.0	11	1.0
Hut	PAL0265	231.6	241.6	10.0	0.8	406	1.1
Hut	PAL0269	185.7	186.7	1.0	0.1	461	0.5
Hut	PAL0269	191.7	193.8	2.1	5.2	275	5.5
Hut	PAL0269	195.9	210.9	15.0	1.0	307	1.3
Hut	PAL0269	214.9	215.9	1.0	0.6	14	0.6
Hut	PAL0269	219.4	222.4	3.0	3.1	13	3.1
Hut	PAL0269	250.0	250.9	0.8	1.8	66	1.9

Table 3: Individual assay data from drill holes reported in this press release.

Hole ID	From (m)	To (m)	Width (m)	Au g/t	Co ppm	AuEq g/t
PAL0249	177.3	178.3	1.0	2.5	344	2.9
PAL0250	125.2	126.2	1.0	1.6	623	2.2
PAL0250	126.2	127.1	1.0	2.6	1730	4.3
PAL0250	127.1	128.1	1.0	0.3	41	0.3
PAL0252	117.0	118.0	1.0	25.5	2197	27.6
PAL0252	118.0	118.5	0.5	3.4	695	4.1
PAL0255	78.8	79.8	1.0	0.3	58	0.3
PAL0255	79.8	81.0	1.3	0.1	52	0.2
PAL0255	81.0	82.0	1.0	0.3	398	0.7
PAL0255	82.0	82.8	0.8	0.4	55	0.5
PAL0255	82.8	83.5	0.7	0.9	289	1.2
PAL0255	83.5	84.6	1.1	1.0	66	1.1
PAL0255	84.6	85.8	1.2	0.4	80	0.5
PAL0255	85.8	87.0	1.3	0.7	83	0.8
PAL0255	87.0	88.0	1.0	0.2	44	0.2
PAL0255	88.0	89.0	1.0	0.1	114	0.2
PAL0255	89.0	90.1	1.1	0.4	193	0.6
PAL0255	102.5	103.5	1.1	0.1	314	0.3
PAL0255	312.1	313.1	1.0	1.0	44	1.1
PAL0256	79.4	80.4	1.1	0.3	117	0.4
PAL0256	80.4	82.0	1.6	0.1	45	0.2
PAL0256	82.0	83.0	1.0	0.3	48	0.3
PAL0256	110.0	111.0	1.0	0.5	144	0.6
PAL0256	111.0	112.0	1.0	0.5	395	0.8
PAL0256	112.0	113.0	1.0	1.6	1108	2.5
PAL0256	113.0	114.0	1.0	0.1	156	0.2
PAL0256	114.0	115.1	1.1	0.1	256	0.3
PAL0256	115.1	116.1	1.0	0.0	350	0.3
PAL0256	116.1	117.1	1.0	0.1	94	0.2
PAL0256	117.1	118.0	0.9	0.9	216	1.1
PAL0256	118.0	119.0	1.0	0.1	231	0.3
PAL0256	119.0	120.1	1.1	<	84	0.1
PAL0256	120.1	121.4	1.3	0.1	106	0.1
PAL0256	121.4	123.0	1.7	0.2	184	0.3
PAL0256	123.0	124.0	1.0	0.1	211	0.3
PAL0256	124.0	125.0	1.0	0.1	338	0.4
PAL0259	95.8	96.6	0.9	0.3	1764	1.8
PAL0259	96.6	97.6	1.0	0.5	2013	2.2
PAL0259	97.6	98.6	1.0	0.3	1726	1.8
PAL0259	98.6	99.6	1.0	0.2	1373	1.4
PAL0259	99.6	100.7	1.1	-0.1	70	0.1
PAL0259	100.7	101.7	1.0	0.8	3151	3.5
PAL0259	101.7	102.7	1.0	1.0	2891	3.5
PAL0259	102.7	103.7	1.0	0.5	2054	2.3
PAL0259	103.7	104.7	1.0	0.4	2704	2.7
PAL0259	104.7	105.7	1.0	0.8	3609	3.9

PAL0259	105.7	107.1	1.4	1.2	2626	3.4
PAL0259	107.1	108.1	1.0	7.6	995	8.5
PAL0259	108.1	109.1	1.0	2.0	198	2.2
PAL0259	109.1	110.3	1.2	1.1	1436	2.4
PAL0259	110.3	111.3	1.0	0.3	42	0.3
PAL0259	111.3	112.3	1.0	1.0	12	1.0
PAL0259	112.3	113.3	1.0	0.1	6	0.1
PAL0259	113.3	115.3	2.0	1.0	43	1.0
PAL0259	115.3	117.3	2.0	1.6	42	1.7
PAL0259	117.3	119.3	2.0	0.8	72	0.8
PAL0259	119.3	120.5	1.3	2.3	55	2.4
PAL0259	120.5	121.5	1.0	0.5	79	0.5
PAL0259	121.5	122.5	1.0	0.3	1130	1.2
PAL0259	122.5	123.5	1.0	0.2	1059	1.1
PAL0259	123.5	124.0	0.5	0.1	948	0.9
PAL0259	124.0	125.3	1.3	-0.1	126	0.1
PAL0259	125.3	126.3	1.0	-0.1	277	0.3
PAL0259	126.3	127.6	1.3	0.3	1425	1.5
PAL0259	127.6	128.6	1.0	0.2	1402	1.3
PAL0259	128.6	129.6	1.0	0.9	1671	2.3
PAL0259	129.6	130.6	1.0	0.3	1837	1.9
PAL0259	130.6	131.5	0.9	0.2	1828	1.8
PAL0259	131.5	132.5	1.0	0.8	1735	2.3
PAL0259	132.5	133.5	1.0	0.7	1589	2.0
PAL0259	133.5	134.7	1.2	0.2	879	0.9
PAL0259	134.7	135.7	1.0	0.9	1651	2.3
PAL0259	135.7	136.7	1.0	2.3	1946	4.0
PAL0259	136.7	137.7	1.0	0.6	2293	2.5
PAL0259	137.7	138.7	1.0	0.5	1347	1.6
PAL0259	138.7	139.7	1.0	0.4	1491	1.7
PAL0259	139.7	140.7	1.0	0.3	521	0.7
PAL0259	140.7	141.7	1.0	-0.1	15	0.0
PAL0259	141.7	142.7	1.0	0.2	17	0.2
PAL0259	142.7	143.3	0.6	0.7	40	0.7
PAL0259	143.3	144.0	0.8	5.7	146	5.9
PAL0259	144.0	144.7	0.7	3.2	89	3.3
PAL0259	144.7	145.7	1.0	3.1	1659	4.5
PAL0259	145.7	146.7	1.0	0.3	17	0.3
PAL0259	146.7	147.3	0.6	0.1	9	0.1
PAL0259	147.3	148.3	1.0	1.7	188	1.9
PAL0259	148.3	149.3	1.0	2.5	1685	3.9
PAL0259	149.3	150.3	1.0	1.3	750	1.9
PAL0259	150.3	151.3	1.0	0.2	17	0.2
PAL0259	151.3	152.3	1.0	0.1	18	0.1
PAL0259	152.3	153.3	1.0	-0.1	17	0.0
PAL0259	153.3	154.3	1.0	1.7	10	1.7
PAL0259	154.3	155.3	1.0	0.2	83	0.2
PAL0259	155.3	157.0	1.7	0.1	48	0.2
PAL0259	157.0	159.0	2.0	0.1	10	0.1

PAL0259	159.0	161.0	2.0	0.6	19	0.6
PAL0259	161.0	163.0	2.0	1.2	28	1.2
PAL0259	163.0	164.0	1.0	1.3	68	1.3
PAL0259	164.0	165.0	1.0	2.2	33	2.2
PAL0259	165.0	166.0	1.0	0.8	20	0.8
PAL0260	89.8	90.8	1.0	0.5	86	0.6
PAL0260	90.8	91.8	1.0	0.5	97	0.6
PAL0260	91.8	92.8	1.0	0.4	72	0.4
PAL0260	92.8	93.8	1.0	0.1	51	0.1
PAL0260	93.8	94.8	1.0	0.5	62	0.6
PAL0260	94.8	95.8	1.0	0.2	82	0.3
PAL0260	95.8	96.8	1.0	0.1	42	0.1
PAL0260	96.8	97.8	1.0	1.1	169	1.2
PAL0260	109.0	110.0	1.0	0.1	248	0.4
PAL0260	110.0	111.0	1.0	1.0	244	1.2
PAL0260	111.0	112.0	1.0	1.1	606	1.6
PAL0260	112.0	113.2	1.2	10.5	209	10.7
PAL0260	113.2	114.4	1.3	1.5	63	1.6
PAL0260	290.5	291.5	1.0	0.1	1357	1.2
PAL0263	98.7	99.9	1.2	2.2	473	2.6
PAL0263	99.9	100.9	1.0	0.2	34	0.2
PAL0263	100.9	102.0	1.2	0.1	16	0.1
PAL0263	102.0	103.0	1.0	-0.1	150	0.2
PAL0263	103.0	104.1	1.1	0.3	80	0.3
PAL0263	104.1	104.8	0.7	0.1	11	0.1
PAL0263	104.8	105.6	0.8	1.4	193	1.5
PAL0263	105.6	106.5	0.9	9.6	129	9.7
PAL0263	106.5	107.5	1.0	3.9	442	4.2
PAL0263	107.5	108.5	1.0	0.2	173	0.4
PAL0263	108.5	110.0	1.5	-0.1	18	0.0
PAL0263	110.0	111.0	1.0	0.3	30	0.3
PAL0263	111.0	112.0	1.0	0.2	12	0.2
PAL0263	112.0	113.0	1.0	0.1	11	0.1
PAL0263	113.0	114.0	1.0	0.5	9	0.5
PAL0263	114.0	115.0	1.0	0.4	105	0.4
PAL0263	115.0	116.0	1.0	0.5	85	0.6
PAL0263	116.0	116.6	0.6	0.4	111	0.5
PAL0263	121.5	122.5	1.0	1.5	14	1.5
PAL0263	122.5	123.6	1.1	3.2	33	3.2
PAL0263	123.6	124.7	1.1	3.6	28	3.7
PAL0263	124.7	125.8	1.1	0.7	29	0.7
PAL0263	222.3	223.3	1.0	0.1	690	0.7
PAL0263	223.3	224.3	1.0	0.1	455	0.5
PAL0263	224.3	225.3	1.0	0.2	266	0.4
PAL0263	225.3	226.3	1.0	-0.1	74	0.1
PAL0263	226.3	227.3	1.0	0.1	152	0.2
PAL0263	227.3	228.3	1.0	3.0	127	3.1
PAL0263	228.3	229.3	1.0	5.5	212	5.7
PAL0263	229.3	230.5	1.2	0.6	227	0.8

PAL0263	230.5	231.5	1.0	0.3	102	0.4
PAL0265	231.6	232.6	1.0	1.3	838	2.0
PAL0265	232.6	233.6	1.0	0.2	577	0.7
PAL0265	233.6	234.6	1.0	1.5	514	1.9
PAL0265	234.6	235.6	1.0	0.1	446	0.5
PAL0265	235.6	236.6	1.0	0.2	108	0.3
PAL0265	236.6	237.6	1.0	0.9	163	1.0
PAL0265	237.6	238.6	1.0	0.9	166	1.0
PAL0265	238.6	239.6	1.0	2.4	224	2.5
PAL0265	239.6	240.6	1.0	0.2	384	0.5
PAL0265	240.6	241.6	1.0	0.3	638	0.8
PAL0269	191.7	192.7	1.0	3.4	71	3.5
PAL0269	192.7	193.8	1.1	6.9	460	7.3
PAL0269	193.8	194.9	1.1	0.2	26	0.2
PAL0269	194.9	195.9	1.0	-0.1	12	0.0
PAL0269	195.9	196.9	1.0	1.0	54	1.1
PAL0269	196.9	197.9	1.0	0.5	277	0.7
PAL0269	197.9	198.9	1.0	0.3	314	0.5
PAL0269	198.9	199.9	1.0	1.4	174	1.5
PAL0269	199.9	200.9	1.0	0.4	360	0.7
PAL0269	200.9	201.9	1.0	1.4	471	1.8
PAL0269	201.9	202.9	1.0	1.3	505	1.7
PAL0269	202.9	203.9	1.0	5.3	832	6.0
PAL0269	203.9	204.9	1.0	2.6	665	3.1
PAL0269	204.9	205.9	1.0	0.1	524	0.6
PAL0269	205.9	206.9	1.0	0.2	388	0.5
PAL0269	206.9	207.9	1.0	0.1	12	0.1
PAL0269	207.9	208.9	1.0	-0.1	6	0.0
PAL0269	208.9	209.9	1.0	0.5	9	0.5
PAL0269	209.9	210.9	1.0	0.3	17	0.3
PAL0269	219.4	220.4	1.0	4.5	3	4.5
PAL0269	220.4	221.4	1.0	4.3	28	4.3
PAL0269	221.4	222.4	1.0	0.6	7	0.6
PAL0269	250.0	250.9	0.9	1.8	66	1.9