

Phone: +1 604 685 9316 / Fax: +1 604 683 1585

NEWS RELEASE

JUNE 29, 2021

Mawson Intersects 15.3 metres at 3.0 g/t gold, 998 ppm cobalt and 11.0 metres at 4.0 g/t gold, 756 ppm cobalt at South Palokas, Finland

Vancouver, Canada — <u>Mawson Gold Limited</u> ("Mawson") or (the "Company") (TSX:MAW) (Frankfurt:MXR) (PINKSHEETS:MWSNF) is pleased to announce new results from three drillholes from the South Palokas prospect, completed during the recent 19.4 kilometre drill program at the Company's 100%-owned Rajapalot project in Finland. These increase the mineralized footprint and improve continuity of previous high-grade intersections.

Highlights:

- Results are presented here for three diamond drill holes totalling 853.5 metres from the South Palokas prospect as part of the Company's 76-hole, 19,422 metre 2020/21 drill program at the Company's 100%-owned Rajapalot project in Finland (Figure 1).
- PAL0235 intersected 15.3 metres @ 3.0 g/t Au, 998 ppm Co, 3.9 g/t AuEq from 439.5 metres including 2.0 metres @ 11.2 g/t Au, 1,019 ppm Co, 12.0 g/t AuEq from 447.5 metres:
 - **PAL0235** significantly opens up high-grade gold potential at depth at South Palokas. The closest high-grade drill hole, located 160 metres up plunge from PAL0235, was previously reported <u>PAL0213</u> (17.7 metres @ 3.8 g/t Au, 880 ppm Co, 4.3 g/t AuEq from 293.0 metres and 6.0 metres @ 9.2 g/t Au, 1,364 ppm Co, 10.0 g/t AuEq from 317.0 metres;
 - **PAL0235** was deepened this drill season following its early termination at 176.9 metres last drill season owing to the spring thaw in 2020;
- PAL0288 intersected 11.0 metres @ 4.0 g/t Au, 756 ppm Co, 4.6 g/t AuEq from 119.0 metres (vertical depth 105 metres), including 4.0 metres @ 9.6 g/t Au, 676 ppm Co, 10.1 g/t AuEq from 124.0 metres.
 - **PAL0288** was drilled on a section between holes **PAL0122** and **PAL0204** (17.7 metres @ 3.8 g/t Au, 880 ppm Co from 293.0 metres) that lies within the confines of the Whittle Constrained pit published as part of the 2020 Inferred Mineral Resource.
- PAL0290 intersected 20.0 metres @ 1.7 g/t Au, 529 ppm Co, 2.1 g/t AuEq from 240.0 metres, including 11.6 metres @ 2.8 g/t Au, 541ppm Co, 3.2 g/t AuEq from 242.0 metres;
 - PAL0290 was drilled 30 metres to the west of PAL0173 (17.0 metres @ 3.0 g/t Au, 827 ppm Co, 4.3 g/t AuEq) to determine the grade and western extents of the mineralization beyond the 2020 Inferred Mineral Resource;
- > A total of 47 drill holes for 11,746 metres from five individual prospect areas remain to be reported through July/August 2021, with a resource upgrade scheduled during August 2021;
- In other important news, new mise-á-la-masse geophysical work (physical property = electrical conductivity) at Palokas and South Palokas indicates electrical connectivity based on cross-hole measurements. The continuity of the stratabound gold-cobalt package between both prospects further enhances the prospectivity between the two locations.

Mr. Hudson, Chairman and CEO, states, "The South Palokas prospect has always held promise of delivering more highgrade gold and cobalt assays. These results add to the deeper and untested western limits of the South Palokas mineralization and show the potential to substantially grow the Rajapalot resource. As assay results from the 2021 drill season continue to flow in, the geological team is adding to, or building new, mineralized wireframes to form part of the updated Inferred Mineral Resource we expect to publish in Q3 this year." South Palokas lies approximately 400 metres southwest of the discovery outcrop at the Palokas prospect (Figure 1). Gold and cobalt assay results are reported here from three holes for 853.5 metres from the 2020/21 drill program, which is now complete. In total, since drilling commenced in September 2020, Mawson drilled 76 drillholes for 19,422 metres. Eleven holes for 2,345 metres were reported in <u>late 2020</u> and a further 15 holes for 4,478 metres were reported in <u>April 2021</u> (Table 1). A total of 47 drill holes for 11,746 metres from five individual prospect areas remain to be reported through to July/August 2021, with a resource upgrade scheduled for July-August 2021. Specifically, holes released here are from South Palokas (PAL0235, PAL0288, PAL0290). A full set of reported results and assay data are shown in Tables 2 and 3.

Technical and Environmental Background

Four diamond drill rigs from Kati Oy, Nivalan Timanttikairaus Oy and MK Core Drilling Oy all with water recirculation and drill cuttings collection systems are used in the drill program. Core diameter is NQ2 (50.7 mm). Core recoveries are excellent and average close to 100% in fresh rock. After photographing and logging in Mawson's Rovaniemi facilities, core intervals averaging one metre for mineralized samples and two metres for barren samples are cut in half at the Geological Survey of Finland (GTK) core facilities in Rovaniemi, Finland. The remaining half core is retained for verification and reference purposes. Analytical samples are transported by commercial transport from site to the CRS Minlab Oy facility in Kempele, Finland. Samples were prepared and analyzed for gold using the PAL1000 technique which involves grinding the sample in steel pots with abrasive media in the presence of cyanide, followed by measuring the gold in solution with flame AAS equipment. Samples for multi-element analysis (including cobalt) are pulped at CRS Minlab, then transported by air to the MSA labs in Vancouver, Canada and analyzed using four acid digest ICP-MS methods. The QA/QC program of Mawson consists of the systematic insertion of certified standards of known gold content, duplicate samples by quartering the core, and blanks the within interpreted mineralized rock. In addition, CRS inserts blanks and standards into the analytical process.

Spot gold and cobalt prices have been used to calculate AuEq values according to the following:

- Average gold price \$1,599 per oz
- Average cobalt price \$19.93 per pound
- Resulting in gold equivalent formula of AuEq g/t = Au g/t + (Co ppm/1,170).

The host rocks to the gold and cobalt mineralization comprise sulphides (pyrrhotite>>pyrite) with biotite-muscovite-chlorite schists and Mg-Fe amphibole-biotite-chlorite rocks. Veining and fracture fill minerals include pyrrhotite, magnetite and magnetite-pyrrhotite (+/quartz, tourmaline). Retrograde chlorite after biotite, generations of secondary muscovite ("sericite") and vein-controlled chlorite+/tourmaline and magnetite are also present. Preliminary hand-held XRF analysis confirms the presence of associated scheelite and molybdenite, the former visible under UV light as tiny veinlets and disseminations. The silicate mineral alteration assemblages associated with the gold are clearly post-metamorphic, reduced, and most likely driven by hydrothermal fluids from nearby granitoid intrusions. Chlorite and fine muscovite are regarded as the lowest temperature silicate minerals with gold, structurally controlled in apparent spatial association with quartz and/or K-feldspar veins. Altered rocks enclosing the mineralized package contain locally abundant talc and tourmaline.

All maps have been created within the KKJ3/Finland Uniform Coordinate System (EPSG:2393).

Tables 1–2 provide collar and assay data. Assuming a predominant stratabound control, the true thickness of the mineralized interval is interpreted to be approximately 90% of the sampled thickness. Table 3 gives detailed individual assays of all intervals reported in this press release. Intersections are reported with a lower cut of 0.3 g/t AuEq over two metre lower cut, except where noted no lower cut was applied. No upper cut-off was applied, and higher-grade intersections use a 1.1 g/t AuEq lower cut over two metres.

NI 43-101 Technical Report: On September 14, 2020, an updated resource estimation was completed by Rodney Webster of AMC of Melbourne, Australia, and Dr. Kurt Simon Forrester of Arn Perspective of Surrey, England. Each of Mr. Webster and Dr. Forrester are independent "qualified persons" as defined by NI 43-101. The NI 43-101 technical report is entitled "Rajapalot Property Mineral Resource Estimate NI 43-101 Technical Report" and dated September 14, 2020 (the "Updated Technical Report"). The Updated Technical Report may be found on the Company's website at www.mawsongold.com or under the Company's profile on SEDAR at www.sedar.com. Readers are encouraged to read the entire Updated Technical Report.

Qualified Person

Dr. Nick Cook (FAusIMM), Chief Geologist for the Company, is a qualified person as defined by National Instrument 43-101 – Standards of Disclosure or Mineral Projects and has reviewed and verified the scientific and technical information in this release.

About Mawson Gold Limited (TSX:MAW, FRANKFURT:MXR, OTCPINK:MWSNF)

<u>Mawson Gold Limited</u> is an exploration and development company. Mawson has distinguished itself as a leading Nordic Arctic exploration company with a focus on the flagship Rajapalot gold-cobalt project in Finland. Mawson also owns or is joint venturing into three high-grade, historic epizonal goldfields covering 470 square kilometres in Victoria, Australia and is well placed to add to its already significant gold-cobalt resource in Finland.


On behalf of the Board,

Further Information <u>www.mawsongold.com</u> 1305 – 1090 West Georgia St., Vancouver, BC, V6E 3V7 Mariana Bermudez (Canada), Corporate Secretary, +1 (604) 685 9316, <u>info@mawsongold.com</u>

"Michael Hudson" Michael Hudson, Chairman & CEO

Forward-Looking Statement. This news release contains forward-looking statements or forward-looking information within the meaning of applicable Canadian securities laws (collectively, "forward-looking statements"). All statements herein, other than statements of historical fact, are forward-looking statements and are based upon various estimates and assumptions including, without limitation, the expectations and beliefs of management, including that the Company can access financing, appropriate equipment and sufficient labor. Forward-looking statements are typically identified by words such as: believe, expect, anticipate, intend, estimate, postulate, and similar expressions, or are those, which, by their nature, refer to future events. Mawson cautions investors that any forward-looking statements are not guarantees of future results or performance, and that actual results may differ materially from those in forward-looking statements as a result of various factors, including, but not limited to: capital and other costs varying significantly from estimates; changes in world metal markets; changes in equity markets; ability to achieve goals; that the political environment in which the Company operates will continue to support the development and operation of mining projects; the threat associated with outbreaks of viruses and infectious diseases, including the novel COVID-19 virus; risks related to negative publicity with respect to the Company or the mining industry in general; reliance on a single asset; planned drill programs and results varying from expectations; unexpected geological conditions; local community relations; dealings with non-governmental organizations; delays in operations due to permit grants; environmental and safety risks; and other risks and uncertainties disclosed under the heading "Risk Factors" in Mawson's most recent Annual Information Form filed on www.sedar.com. While these factors and assumptions are considered reasonable by Mawson, in light of management's experience and perception of current conditions and expected developments, Mawson can give no assurance that such expectations will prove to be correct. Any forward-looking statement speaks only as of the date on which it is made and, except as may be required by applicable securities laws, Mawson disclaims any intent or obligation to update any forward-looking statement, whether as a result of new information, future events or results or otherwise.

Figure 1: Plan of Rajapalot showing results reported here for Palokas South with historic drilling, resource areas and EM geophysical plates (conductors).



Hole ID	East	North	Azimuth	Dip	RL	Depth (m)	Prospect	Comment
PAL0235	3408208.1	7373667.8	047	-81.0	172.7	176.9 to 522.0	South Palokas	Reported here
PAL0237	3409690	7374570	220	-61	180.4	68.5	Hirvimaa	reported 25 Nov 2020
PAL0238	3409662	7374613	220	-77	180.9	149.7	Hirvimaa	reported 25 Nov 2020
PAL0239	3410303.4	7372642.9	060	-66.0	151.0	41.7	Joki East	Abandoned, reported 25 Nov 2020
PAL0240	3410305.1	7372643.6	060	-66.0	151.2	281.7	Joki East	reported 25 Nov 2020
PAL0241	3410337.8	7372661.1	060	-66.0	151.3	236.4	Joki East	reported 25 Nov 2020
PAL0242	3410364.0	7372674.9	060	-66.0	150.6	236.8	Joki East	reported 25 Nov 2020
PAL0243 PAL0244	3410309.3 3410337.3	7372708.5	060	-67.5 -68.0	151.4 151.4	239.7 251.7	Joki East Joki East	reported 21 Dec 2020 reported 21 Dec 2020
PAL0244 PAL0245	3410337.3	7372726.2 7372690.0	062	-66.0	151.4	257.5	Joki East	reported 21 Dec 2020
PAL0245 PAL0246	3410275.0	7372744.7	060	-71.0	151.4	287.6	Joki East	reported 21 Dec 2020
PAL0246 PAL0247	3410266.1	7372728.5	060	-64.0	152.5	293.4	Joki East	reported 21 Dec 2020
PAL0247 PAL0248	3410211.8	7371404.9	065	-60.0	124.9	323.6	Regional	reported 12 April 2021
PAL0240	3410204.0	7372724.3	064	-72.0	151.6	269.6	Joki East	reported 12 April 2021
PAL0250	3410404.0	7372632.2	060	-66.0	151.0	195.3	Joki East	reported 12 April 2021
PAL0251	3410374.9	7372616.9	060	-66.0	151.0	179.9	Joki East	reported 12 April 2021
PAL0252	3410435.4	7372651.2	060	-66.0	149.5	155.9	Joki East	reported 12 April 2021
PAL0253	3410154.1	7372819.7	061	-78.5	153.8	359.7	Joki East	reported 12 April 2021
PAL0254	3410153.2	7372821.5	061	-70.5	155.0	320.9	Joki East	reported 12 April 2021
PAL0255	3408125.6	7373140.2	090	-85.0	172.5	347.9	Hut	reported 12 April 2021
PAL0256	3408125.6	7373140.2	088	-72.0	172.5	272.6	Hut	reported 12 April 2021
PAL0257	3408126.6	7373140.2	087	-58.0	172.5	230.4	Hut	reported 12 April 2021
PAL0258	3407835.1	7372449.6	039	-85.0	172.3	389.8	Rumajärvi	Results awaited
PAL0259	3408064.0	7372937.0	057	-61.5	173.4	299.9	Hut	reported 12 April 2021
PAL0260	3408089.4	7373033.5	059	-70.0	173.1	320.6	Hut	reported 12 April 2021
PAL0261	3408064.0	7372937.0	057	-74.0	173.4	311.7	Hut	Results awaited
PAL0262	3408463.9	7373910.4	139	-73.0	173.6	358.9	Palokas	Results awaited
PAL0263	3408089.4	7373033.5	059	-84.0	173.1	329.8	Hut	reported 12 April 2021
PAL0264	3407834.0	7372449.7	039	-68.0	172.8	125.5	Rumajärvi	Results awaited
PAL0265	3407956.6	7373143.7	143	-49.0	172.1	301.8	Hut	reported 12 April 2021
PAL0266	3407835.1	7372448.6	210	-78.0	172.3	149.7	Rumajärvi	Results awaited
PAL0267	3407840.8	7372408.1	065	-48.2	172.7	268.9	Rumajärvi	Results awaited
PAL0268	3408186.3	7372767.6	060	-80.0	178.7	131.5	Terry's Hammer	Results awaited
PAL0269	3407956.6	7373143.7	126	-46.0	172.1	268.5	Hut	reported 12 April 2021
PAL0270	3408463.9	7373910.4	124	-59.0	173.6	289.8	Palokas	Results awaited
PAL0271	3408186.3	7372767.6	210	-85.0	178.7	120.0	Terry's Hammer	Results awaited
PAL0272	3407840.8	7372408.1	065	-73.0	172.7	302.6	Rumajärvi	Results awaited
PAL0273	3408215.8	7372746.9	119	-54.0	177.3	82.1	Terry's Hammer	Results awaited
PAL0274	3407956.6	7373143.7	114	-45.0	172.1	280.2	Hut	Results awaited
PAL0275	3408089.4	7373033.5	240	-81.0	173.1	161.8	Hut	Results awaited
PAL0276	3408467.8	7373868.1	128	-50.0	172.0	23.9	Palokas	Results awaited
PAL0277	3408090.7	7373033.0	056	-81.5	173.6	257.3	Hut	Results awaited
PAL0278	3407956.6	7373143.0	150	-50.0	172.1	280.0	Hut	Results awaited
PAL0279	3408467.8	7373868.1	128	-50.0	172.0	287.9	Palokas	Results awaited
PAL0280	3407641.8	7372426.8	061	-38.0	173.0	342.9	Rumajärvi	Results awaited
PAL0281	3408544.8	7373674.7	116	-60.0	173.5	146.3	South Palokas	Results awaited
PAL0282	3407941.4	7373070.5	061	-67.0	172.7	341.9	Hut	Results awaited
PAL0283	3408467.8	7373868.1	141	-52.1	173.5	277.9	Palokas South Palokas	Results awaited Results awaited
PAL0284 PAL0285	3408521.2 3407641.8	7373606.0 7372426.9	062 061	-79.0 -47.0	173.6 173.0	146.6 314.2	Rumajärvi	Results awaited
PAL0285 PAL0286	3407641.8	7373606.0	240	-47.0	173.6	149.4	South Palokas	Results awaited
PAL0280 PAL0287	3407941.4	7373000.0	061	-76.0	173.0	346.7	Hut	Results awaited
PAL0287 PAL0288	3408521.2	7373606.0	240	-57.0	172.7	172.8	South Palokas	Reported here
PAL0288	3408321.2	7373868.1	155	-57.0	173.0	305.2	Palokas	Results awaited
PAL0209	3408410.5	7373660.5	235	-78.0	172.0	335.6	South Palokas	Reported here
PAL0290	3407941.4	7373070.5	061	-85.0	172.7	329.3	Hut	Results awaited
PAL0291	3408112.4	7372770.1	060	-61.0	172.4	149.1	Terry's Hammer	Results awaited
PAL0292	3408467.8	7373868.1	061	-68.0	172.0	344.3	Palokas	Results awaited
PAL0294	3407941.4	7373070.5	220	-87.0	172.7	353.7	Hut	Results awaited
PAL0295	3408821.1	7372287.6	058	-80.0	172.7	140.2	Raja	Results awaited
PAL0296	3408410.5	7373660.5	241	-71.5	174.0	368.7	South Palokas	Results awaited
PAL0297	3408821.1	7372287.6	058	-66.0	172.7	169.4	Raja	Results awaited
PAL0298	3408466.5	7373867.0	128	-65.0	173.9	305.1	Palokas	Results awaited
PAL0299	3408410.5	7373660.5	241	-64.5	174.0	394.7	South Palokas	Results awaited
PAL0300	3408821.1	7372287.6	245	-80.0	172.7	142.5	Raja	Results awaited
PAL0301	3407999.2	7373194.3	115	-57.0	172.1	335.0	Hut	Results awaited
			238	-73.0	172.3	163.8	Raja	Results awaited

PAL0303	3407712.4	7373644.2	044	-75.5	172.7	629.2	South Palokas	Results awaited
PAL0304	3407681.1	7373602.7	160	-58.0	173.6	125.2	South Palokas	Results awaited
PAL0305	3407649.8	7373660.5	050	-82.0	174.0	281.5	South Palokas	Results awaited
PAL0306	3407843	7372798	60	-45	172.4	280.6	Rumajärvi	Results awaited
PAL0307	3408273	7373630	66	-85	174.66	352.9	South Palokas	Results awaited
PAL0308	3408134	7373634	50	-77	173	515.6	South Palokas	Results awaited
PAL0309	3407850	7372499	81	-74	172.5	202.5	Rumajärvi	Results awaited
PAL0310	3408610	7373895	167	-76	174.86	209.5	Palokas	Results awaited
PAL0311	3408610	7373895	96	-55	174.86	78.9	Palokas	Abandoned due to snow melt

Table 2: Intersections from the 2020-21 Winter Drill Program. Intersections are reported with a lower cut of 0.3 g/t AuEq (using long term forecast gold and cobalt prices of \$1,599 per ounce and \$19.93 per pound respectively) over 2 metre lower cut. No upper cut-off was applied. "<" is below detection limit of 0.05 g/t Au.

South Palokas				Width (m)	Au g/t	Co ppm	AuEq g/t
South Falokas	PAL0235	439.5	454.7	15.2	3.0	998	3.9
South Palokas	PAL0235	494.1	495.3	1.2	0.3	0	0.3
Joki East	PAL0240	148.8	149.8	1.0	0.9	5	0.9
Joki East	PAL0240	165.1	167.5	2.4	0.1	1187	1.1
Joki East	PAL0241	168.6	170.2	1.6	28.3	1190	29.3
Joki East	PAL0242	154.0	158.5	4.4	7.3	735	7.9
Joki East	PAL0243	193.0	195.9	2.9	0.6	574	1.1
Joki East	PAL0245	177.1	178.4	1.3	25.3	2327	27.3
Joki East	PAL0245	191.0	191.5	0.5	23.0	3974	26.4
Joki East	PAL0245	194.8	196.9	2.1	2.8	806	3.5
Joki East	PAL0246	188.6	189.2	0.6	10.3	725	10.9
Joki East	PAL0246	204.4	212.4	7.9	0.7	323	1.0
Joki East	PAL0247	216.6	218.5	1.9	0.7	103	0.7
Joki East	PAL0247	220.9	230.0	9.1	4.3	457	4.7
Joki East	PAL0249	177.3	178.3	1.0	2.5	344	2.8
Joki East	PAL0250	87.5	89.2	1.7	2.0	159	2.1
Joki East	PAL0250	120.5	121.5	1.0	0.8	130	0.9
Joki East	PAL0250	125.2	128.1	2.9	1.5	782	2.2
Joki East	PAL0250	136.6	137.6	1.0	1.8	33	1.8
Joki East	PAL0251	146.5	146.9	0.5	0.4	15	0.4
Joki East	PAL0251	152.8	153.9	1.2	0.4	29	0.4
Joki East	PAL0252	117.0	118.5	1.5	18.1	1696	19.6
Joki East	PAL0254	215.0	218.1	3.1	0.4	107	0.5
Joki East	PAL0254	288.5	290.0	1.5	1.3	167	1.4
Hut	PAL0255	78.8	90.1	11.4	0.4	123	0.5
Hut	PAL0255	102.5	103.5	1.1	0.1	314	0.3
Hut	PAL0255	106.6	110.5	4.0	0.1	222	0.3
Hut	PAL0255	212.7	213.8	1.1	0.1	609	0.6
Hut	PAL0255	236.6	237.7	1.1	0.2	268	0.4
Hut	PAL0255	312.1	313.1	1.0	1.0	44	1.1
Hut	PAL0256	79.4	83.0	3.7	0.2	67	0.3
Hut	PAL0256	95.9	96.9	1.0	0.2	382	0.5
Hut	PAL0256	100.2	101.2	1.0	0.3	127	0.4
Hut	PAL0256	110.0	113.0	3.0	0.9	549	1.3
Hut	PAL0256 PAL0256	115.1 121.4	119.0 125.0	3.9 3.7	0.3	223 234	0.5
Hut	PAL0256	140.0	142.0	2.0	0.1	385	0.3
Hut	PAL0257	47.0	48.0	1.0	0.0	219	0.3
Hut	PAL0257	174.5	175.5	1.0	0.1	429	0.3
Hut	PAL0257 PAL0259	95.8	175.5	28.3	1.0	1090	2.0
Hut	PAL0259	126.3	150.3	24.0	1.0	1104	2.0
Hut	PAL0259	153.3	150.5	1.0	1.7	1104	1.7
Hut	PAL0259	159.0	166.0	7.0	1.7	31	1.7
Hut	PAL0260	89.8	97.8	8.0	0.4	83	0.5
Hut	PAL0260	109.0	114.4	5.4	3.0	262	3.2
Hut	PAL0260	290.5	291.5	1.0	0.1	1357	1.2

Hut PAL0263 98.7 99.9 1.1 2.2 473 Hut PAL0263 103.0 116.6 13.6 1.2 98 98 Hut PAL0263 121.5 125.8 4.3 2.3 26 Hut PAL0263 222.3 231.5 9.2 1.1 256 Hut PAL0265 203.2 204.2 1.0 1.0 11 Hut PAL0265 231.6 241.6 10.0 0.8 406	2.6 1.3 2.3 1.3 1.0 1.1
Hut PAL0263 121.5 125.8 4.3 2.3 26 Hut PAL0263 222.3 231.5 9.2 1.1 256 Hut PAL0265 203.2 204.2 1.0 1.0 11	2.3 1.3 1.0
Hut PAL0263 222.3 231.5 9.2 1.1 256 Hut PAL0265 203.2 204.2 1.0 1.0 11	1.3 1.0
Hut PAL0265 203.2 204.2 1.0 1.0 11	1.0
Hut DALOGE 221.6 241.6 10.0 0.9 406	1.1
HUL PAL0205 251.0 241.0 10.0 0.0 400	
Hut PAL0269 185.7 186.7 1.0 0.1 461	0.5
Hut PAL0269 191.7 193.8 2.1 5.2 275	5.5
Hut PAL0269 195.9 210.9 15.0 1.0 307	1.3
Hut PAL0269 214.9 215.9 1.0 0.6 14	0.6
Hut PAL0269 219.4 222.4 3.0 3.1 13	3.1
Hut PAL0269 250.0 250.9 0.8 1.8 66	1.9
South Palokas PAL0288 119.0 130.0 11.0 4.0 756	4.6
South Palokas PAL0288 134.0 140.0 6.0 0.3 448	0.7
South Palokas PAL0290 186.0 194.0 8.0 0.3 394	0.6
South Palokas PAL0290 197.0 198.0 1.0 0.7 142	0.8
South Palokas PAL0290 201.0 203.0 2.0 0.0 372	0.3
South Palokas PAL0290 229.8 230.8 1.0 0.1 444	0.4
South Palokas PAL0290 240.0 260.0 20.0 1.7 529	2.1

Hole ID	From (m)	To (m)	Width (m)	Au g/t	Co ppm	AuEq g/t
PAL0235	439.5	440.5	1.0	0.2	453	0.2
PAL0235	440.5	441.5	1.0	0.5	1308	0.5
PAL0235	441.5	442.5	1.0	1.6	2205	1.6
PAL0235	442.5	443.5	1.0	5.9	1176	5.9
PAL0235	443.5	444.5	1.0	0.3	167	0.3
PAL0235	444.5	445.5	1.0	1.4	643	1.4
PAL0235	445.5	446.5	1.0	0.4	872	0.4
PAL0235	446.5	447.5	1.0	0.3	1146	0.3
PAL0235	447.5	448.5	1.0	11.6	1211	11.6
PAL0235	448.5	449.5	1.0	10.7	827	10.7
PAL0235	449.5	450.5	1.0	0.2	354	0.2
PAL0235 PAL0235	450.5 451.5	451.5 452.5	1.0	2.9	1205 1649	2.9
PAL0235	452.5	453.5	1.0	4.0	820	4.0
PAL0235	453.5	453.5	1.0	0.4	952	0.4
PAL0235	454.7	455.7	1.0	<	161	0.0
PAL0235	455.7	457.0	1.3	<	50	0.0
PAL0235	457.0	459.0	2.0	<	41	0.0
PAL0235	459.0	461.0	2.0	<	51	0.0
PAL0235	490.9	492.9	2.0	<	n.d.	0.0
PAL0235	492.9	494.1	1.3	0.1	n.d.	0.1
PAL0235	494.1	495.3	1.2	0.3	n.d.	0.3
PAL0288	119.0	120.0	1.0	1.6	674	1.6
PAL0288	120.0	121.0	1.0	0.9	534	0.9
PAL0288	121.0	122.0	1.0	0.4	410	0.4
PAL0288	122.0	123.0	1.0	0.7	222	0.7
PAL0288	123.0	124.0	1.0	1.4	563	1.4
PAL0288	124.0	125.0	1.0	10.4	178	10.4
PAL0288	125.0	126.0	1.0	18.3	968	18.3
PAL0288 PAL0288	126.0	127.0	1.0	4.1	673	4.1
PAL0288	127.0 128.0	128.0 129.0	1.0	5.5 0.4	887 1601	5.5 0.4
PAL0288	128.0	130.0	1.0	0.4	1610	0.4
PAL0288	120.0	131.0	1.0	0.1	173	0.1
PAL0288	131.0	132.0	1.0	<	18	0.0
PAL0288	132.0	133.0	1.0	0.1	39	0.1
PAL0288	133.0	134.0	1.0	<	103	0.0
PAL0288	134.0	135.0	1.0	0.3	861	0.3
PAL0288	135.0	136.0	1.0	0.1	20	0.1
PAL0288	136.0	137.0	1.0	0.2	241	0.2
PAL0288	137.0	138.0	1.0	0.1	321	0.1
PAL0288	138.0	139.0	1.0	0.8	947	0.8
PAL0288	139.0	140.0	1.0	0.3	297	0.3
PAL0288	140.0	141.0	1.0	0.2	84	0.2
PAL0288	141.0	142.0	1.0	0.1	122	0.1
PAL0290	186.0	187.0	1.0	0.6	352	0.6

Table 3: Individual assay data from drill holes reported in this press release.

PAL0290	187.0	188.0	1.0	0.1	134	0.1
PAL0290	188.0	189.0	1.0	0.2	535	0.2
PAL0290	189.0	190.0	1.0	0.3	316	0.3
PAL0290	190.0	191.0	1.0	0.3	747	0.3
PAL0290	191.0	192.0	1.0	0.3	215	0.3
PAL0290	192.0	193.0	1.0	0.3	406	0.3
PAL0290	193.0	194.0	1.0	0.3	449	0.3
PAL0290	197.0	198.0	1.0	0.7	142	0.7
PAL0290	240.0	241.0	1.0	0.5	508	0.5
PAL0290	241.0	242.0	1.0	0.2	1291	0.2
PAL0290	242.0	243.0	1.0	2.0	787	2.0
PAL0290	243.0	244.0	1.0	1.6	503	1.6
PAL0290	244.0	244.8	0.8	5.2	519	5.2
PAL0290	244.8	245.8	1.0	1.2	999	1.2
PAL0290	245.8	246.8	1.0	4.2	641	4.2
PAL0290	246.8	247.8	1.0	1.0	358	1.0
PAL0290	247.8	248.8	1.0	2.2	424	2.2
PAL0290	248.8	249.8	1.0	6.3	287	6.3
PAL0290	249.8	250.8	1.0	0.9	252	0.9
PAL0290	250.8	251.8	1.0	0.4	230	0.4
PAL0290	251.8	252.8	1.0	2.1	847	2.1
PAL0290	252.8	253.6	0.8	7.7	658	7.7